From: Durham, William F

Sent: Thursday, April 6, 2017 3:24 PM

To: McKeone, Beverly D; Martin, Thornton E

Subject: FW: Senator Beach

From: Boggs, Kristin A

Sent: Thursday, April 6, 2017 2:21 PM

To: Durham, William F < William.F. Durham@wv.gov>

Cc: Bob Beach <bob.beach@wvsenate.gov>

Subject: Fwd: Senator Beach

Please see below request from Senator Beach. I have copied him so you have his contact information in order to communicate with him as necessary with regard to this request.

Thanks.

Sent from my iPhone

Begin forwarded message:

From: Bob Beach < bob.beach@wvsenate.gov >

Date: April 6, 2017 at 2:15:00 PM EDT

To: "Boggs, Kristin A" < Kristin.A.Boggs@wv.gov>

Subject: Senator Beach

Kristin, would you please forward the attached request to the appropriate designee.

The purpose of this correspondence is to formally request a public hearing on behalf of the residents of Monongalia County and myself regarding the permit dated February 27, 2016.

Stone & Company Inc. of Pennsylvania submitted an application for an Air Permit under code NSR (45CSR13) with the WV DEP identified with project # CEC Project 144-205.0005

Thank you for timely consideration of this request.

Robert 'Bob" Beach West Virginia State Senate 13th District



west virginia department of environmental protection

Division of Air Quality 601 57th Street SE Charleston, WV 25304 Phone: (304) 926-0475 Fex: (304) 926-0479

Jim Justice, Governor Austin Caperton, Cabinet Secretary dep.wv.gov

April 4, 2016

The Honorable Robert D. Beach West Virginia Senate Room 204W, Building 1 State Capitol Complex Charleston, WV 25305

Dear Senator Beach:

I am writing in response to your request to Kristin Boggs for information regarding citizen concerns about a proposed concrete batch plant. Listed below are your questions in bold, followed by our response.

Why is Monongalia County and the State of West Virginia permitting the batch plant to continue with construction without inquiring into what the true production output of concrete will be from this company? Please look for someone or a regulatory agency that has the authority to implement a work stoppage until we get some serious questions answered.

Inspectors with the DAQ have been to the location and determined that all onsite activities to date are allowed under our permitting rule (specific provisions follow). These activities are at the risk of the company as there is no guarantee that a permit would be issued. The source cannot construct any part of the actual concrete batch plant until they receive a permit from the DAQ. In general, 45 C.S.R. 13 (Rule 13) allows the following:

Prior to obtaining a permit to construct, modify, relocate and operate, a source may:

- Clear land; Grub stumps, roots and other natural impediments to site development.
- Excavate, grade and compact topsoil to establish temporary and final grade.
- Dig and construct foundations and/or caissons and grade beams.
- Demolish existing structures, provided that all activity must comply and comport with all existing state and federal regulations.

- Construct or modify structures which are strictly office buildings, warehouses or buildings that could potentially be used for those purposes.
- Order equipment and procure supplies with which an emissions unit could be composed.
- Receive or store on-site or off-site any equipment or supplies which make up in part or in whole an emission unit or any support equipment, facilities, building or structure.
- Prior to obtaining a permit to construct and operate, a source may not cause the
 erection or installation of an emissions unit unless granted permission under Section
 16 of Rule 13.
- All above activities shall be conducted solely at the risk of the owner or operator of the stationary source.

Q: Does any regulatory agency in the state of West Virginia have the authority to limit future expansion of production and limit it to only 50,000 cubic yards per year?

The WVDEP Division of Air Quality is currently reviewing the construction permit application. If the DAQ determines that the proposed facility should meet all applicable state rules and Federal Regulations, the agency will draft a permit for the source allowing construction and operation at the design capacity of the source. The permit would include specific numbers for stockpile sizes, production rates, and pollution controls such as watersprays, enclosures, and baghouses. If the source would wish to expand in the future, it must first apply for and receive a modification permit allowing for the increased expansion.

Q: Will this batch plant be able to expand the yearly output from 50,000 cubic yards to 100,000 cubic yards or possibly 250,000 cubic yards?

If the source would want to expand in the future, it would have to apply for a modification permit and go through the same permitting process (with public notice) as the current application.

Q: Can the proposed equipment capacity handle more than the 50,000 cubic yards yearly that was submitted on their current application for construction permit?

The application is currently under review. Unless a source wishes to take a restriction on their operation, sources are permitted for their maximum capacity. Whether that maximum capacity is 50,000 cubic yards has yet to be determined by the DAQ.

The Honorable Robert D. Beach April 4, 2017 Page 3

Q: Can independent air testing be conducted randomly by an outside private company to ensure that the facility is not notified beforehand and the WV State DEP except [sic] the finding?

The DAQ reviews all stationary sources of regulated pollutants for compliance with all applicable state rules and federal regulations. The agency then writes permits that include these regulations, emission limits, production rates, throughput and/or stockpile limitations, recordkeeping, monitoring, use of controls, etc. DAQ regularly inspects permitted facilities to ensure that the company is meeting all requirements of the permit. These are unannounced inspections. Further, our agency responds to all complaints related to air quality and can issue a "Cease and Desist Order" to halt facility operations if warranted.

Under the WV State Implementation Plan, compliance with these agency rules and permits is deemed to be protective of the ambient air quality and should not cause or contribute to a violation of National Ambient Air Quality Standards (NAAQS). It should be noted that Monongalia County has three air quality monitors for ozone, sulfur dioxide, and particulate matter less than 2.5 microns, respectively. Based upon the monitored air quality, the U.S. EPA has designated Monongalia County as in attainment of all NAAQS. And, based upon estimated emissions for similar facilities, there is no reason to expect any exceedances of the NAAQS.

I hope this response addresses your concerns. Should you have further questions or need additional information, please contact Kristin Boggs at 304-926-0440 or by e-mail at Kristin.A.Boggs@wv.gov.

Sincerely,

William F. Durham

Director

WFD/kmd

From:

Durham, William F

Sent:

Tuesday, April 4, 2017 4:03 PM

To:

McKeone, Beverly D; Martin, Thornton E

Subject:

FW: contact-us - Paul

From: Oneill, Colleen M

Sent: Tuesday, April 4, 2017 2:35 PM

To: Durham, William F < William.F. Durham@wv.gov>; Glance, Jacob P < Jacob.P. Glance@wv.gov>

Subject: Fw: contact-us - Paul

HAVE A SUNNY AFTERNOON!!!

From: Home < support@wvinteractive.com >

Sent: Monday, April 3, 2017 10:20 PM

To: Oneill, Colleen M
Subject: contact-us - Paul

Home

Paul has been added

Modify my alert settings|View Paul|View contact-us|Mobile View

First

Paul

Name:

Mills

Last Name:

:

E-mail Address: Paulmills29@gmail.com

Phone Number:

Message:

These comments concern the application for an Air Permit by the Wendell H. Stone Company dba Stone & Company, Inc. The Stone & Company submitted an application for an Air Permit under code NSR (45CSR13) with the WV DEP identified with project #CEC 144-205.6005.

My property shares a significant property line with the proposed site of a Batch Concrete Manufacturing Plant. My wife and I have lived in our home since 2009. We have a 5 year old son who has been treated for asthma.

The proposed location of the sand and aggregate stockpile for this plant is 100 feet or less from my front door. Due to the close proximity, I have serious concerns about air quality. My son loves to play outdoors. During the current construction next door, I have paid attention to the amount of dust that blows our way. On days of particularly heavy winds, the dust migrates our way. I have already noticed an increase of dust in my home. What will circumstances be like when raw materials are being dumped and trucks are constantly moving through this area? Would you want to live next to this?

About myself, I have worked in the pharmaceutical industry since 2004 and I hold a Masters degree in Organic Chemistry. I have reviewed the MSDS reports that Stone and Company have submitted with their application. I am not the most knowledgeable on environmental protection regulations, however I know and understand chemistry and chemicals or, at the least, I know how to look up and understand their properties. The chemical additives that are used in the manufacture of the cement and cement supplement have properties that if released into the air could cause serious harm to the health of myself, my family and my neighbors. While working with the cement and cement supplements, I would anticipate that Stone and Company employees

will be wearing proper PPE. I also understand dilution and how the surrounding areas will only be exposed to a "very small" portion of these chemical additives. However, daily exposure to this chemical dust will have significant negative effects on our health, the MSDS's show this, well maybe not the MSDS's that Stone and Company have attached to their application, but the MSDS's for the additives that are listed in the composition and ingredients sections. And what of the diesel exhaust, how will this be controlled? From my estimation of their site, an unknown number of trucks will be idling less than 100 ft from my doorstep, not to mention the front loaders that will be used to haul sand and rock to their respective hoppers.

As a father and husband, this is an absolute nightmare for me. Harmful chemicals and dangerous exhaust fumes polluting my home and my family. How will this be regulated, how can the DEP allow for the manufacture of cement this close to a residence. The risks are too high for my family and my neighbors. I implore you hold a public hearing so that our many concerns may publicly be addressed with the company.

Regards,

Paul Mills

County:

Monongalia

TERM MINISTER ECUTATION IN LV-PM by Anakristor

From:

McKeone, Beverly D

Sent:

Tuesday, April 4, 2017 10:46 AM

To:

Martin, Thornton E

Subject:

FW: contact-us - Amanda

From: Durham, William F

Sent: Tuesday, April 4, 2017 10:36 AM

To: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>

Subject: Fwd: contact-us - Amanda

Sent from my iPhone

Begin forwarded message:

From: "Oneill, Colleen M" < Colleen.M.Oneill@wv.gov>

Date: April 4, 2017 at 10:34:57 EDT

To: "Durham, William F" < William.F.Durham@wv.gov>

Subject: Fw: contact-us - Amanda

Good Morning!!!

THANKS!!! 💝

HAVE A SUNNY DAY!!! 📥

From: Home <<u>support@wvinteractive.com</u>>

Sent: Monday, April 3, 2017 9:55 AM

To: Oneill, Colleen M

Subject: contact-us - Amanda

Home

Amanda has been added

Modify my alert settings|View Amanda|View contact-us|Mobile View

First

Amanda

Name:

Last

Mills

Name:

E-mail

amanda mills04@yahoo.com

Address:

Phone Number:

3046942114

Message:

I would like to follow up to a telephone conversation I had with Mr. Martin concerning the application for an Air Permit by the Wendell H. Stone Company dba Stone & Company, Inc. The Stone & Company submitted an application for an Air Permit under code NSR (45CSR13) with the WV DEP identified with project #CEC 144-205.0005.

My property shares a significant property line with the proposed site of a Batch Concrete Manufacturing Plant. My husband and I have lived in our home since 2009. We have a 5 year old son who has been treated for asthma.

The proposed location of the sand and aggregate stockpile for this plant is 100 feet or less from my front door. Due to the close proximity, I have serious concerns about air quality. My son loves to play outdoors. During the current construction next door, I have paid attention to the amount of dust that blows our way. On days of particularly heavy winds, the dust migrates our way. I have already noticed an increase of dust in my home. What will circumstances be like when raw materials are being dumped and trucks are constantly moving through this area? Would you want to live next to this?

If this plant is constructed, I am also concerned about air monitoring. Will there be unannounced checks to make sure the

At the very least, please hold a public hearing so that our many concerns may publicly be addressed with the company. When I purchased my home, I was naïve to the facts surrounding unzoned areas. I just loved the location and the house. I wanted to build a home here with my family. I feel very helpless due to the fact that I have very few options to keep my home from being a

County:

Monongalia

Last Modified 4/3/2017 9:54 AM by (unknown)

From:

McKeone, Beverly D

Sent:

Monday, April 3, 2017 1:00 PM

To: Subject:

Martin, Thornton E FW: contact-us - James

From: Durham, William F

Sent: Monday, April 3, 2017 12:54 PM

To: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>

Subject: Fwd: contact-us - James

Sent from my iPhone

Begin forwarded message:

From: "Oneill, Colleen M" < Colleen.M.Oneill@wv.gov>

Date: April 3, 2017 at 10:44:27 EDT

To: "Durham, William F" < William.F.Durham@wv.gov>

Subject: FW: contact-us - James

Good Morning!!! ◎

I was told to send this to you. THANKS!!!:)[2]

HAVE A SUNNY DAY!!! ☺

From: Home [mailto:support@wvinteractive.com]

Sent: Sunday, April 02, 2017 12:01 PM

To: Oneill, Colleen M < Colleen.M.Oneill@wv.gov>

Subject: contact-us - James

Home

James has been added

Modify my alert settings View James View contact-us Mobile View

First

James

Name:

Last

O'Callaghan

Name:

E-mail Address: o-callaghan@comcast.net

Phone Number: 304-685-2794

Message:

We are owners of 51 Briar Lea Lane, Morgantown, WV 26508 and look directly down on the proposed batch concrete plant at 1702 Smithtown Rd., Morgantown, WV 26508.

From the application to the DEP for a construction permit for this facility, it would appear that the permit has to be granted before construction can begin. As you can see from the photograph on the front page of the Dominion Post concerning this project (March 30, 2017, construction has more than begun: they are pumping concrete into the forms for one of the buildings on the site.

Here are a few additional concerns and items of note to us:

- 1)This proposed batch concrete plant is to be built less than 200 feet from our living room
- 2)We received no written notice of what was going on from the owners until we discovered their application to the Dept of Environmental Protection.
- 3) they took down every tree and have almost undermined Briar Lea Lane until our neighbor below complained that we would not have access to the houses if they continued...they responded by building a concrete block wall to shore up Briar Lea Lane
- 4) the proposed plant will have sand and aggregate stockpiles located as close to our houses as possible...this material will be moved on a daily basis several times according to the application...creating dust that they will control by watering "as needed" 5) A 5-story silo (50ft tall according to the application) will be built to make the product with dust control only at the upper
- 5) Even a cursory read of the MSDS for the materials to be used give you an idea of the potential adverse effects of exposure to the materials.....our house is directly upwind of the proposed plant and will be continuously covered with dust should it be built 6) over 100 trips per day of the concrete trucks are proposed in the application and that doesn't count the cement supplier deliveries or the skip loader to supply sand and aggregate to the hopper. (on a schedule of 10 hour days beginning as early as 6:00 AM

Both of us have Ph.D.'s in the neurosciences with over 35 years experience each AND we both worked for over 16 years (each) as Federal Employees of the U.S. Environmental Protection Agency in Research Triangle Park, NC. We now have been employees of the U.S Centers for Disease Control and Prevention for 20 years each. We are committed public health and environmental health researchers and know a little bit about airborne pollutants...many of which have been implicated in development of asthma and other lung diseases as well as neurological diseases (such as Parkinson's disease), especially since we now know that PM10's can get into your brain.

Surely, the Dept. of Environmental Protection must have some concerns about the airborne pollutants that will be generated from this plant and regulations must exist to have acceptable air quality levels, levels that will not be met if this plant operates so close to 3 residences.

James P. O'Callaghan, Ph.D. Diane B. Miller, Ph.D. 51 Briar Lea Lane Morgantown, WV 26508

304-685-2794 o-callaghan@comcast.net

County:

Monongalia

Last Modified 4/2/2017 11:59 AM by (unknown)

From:

McKeone, Beverly D

Sent:

Monday, April 3, 2017 1:03 PM

To: Subject:

Martin, Thornton E FW: contact-us - Gordon

From: Durham, William F

Sent: Monday, April 3, 2017 12:58 PM

To: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>

Subject: Fwd: contact-us - Gordon

Sent from my iPhone

Begin forwarded message:

From: "Oneill, Colleen M" < Colleen.M.Oneill@wv.gov>

Date: April 3, 2017 at 10:26:18 EDT

To: "Durham, William F" < William.F.Durham@wv.gov>

Subject: FW: contact-us - Gordon

Good Morning!!! ☺

I was told to send this to you. THANKS!!! ©

HAVE A SUNNY DAY!!! ☺

From: Home [mailto:support@wvinteractive.com]

Sent: Sunday, April 02, 2017 9:26 AM

To: Oneill, Colleen M < Colleen.M.Oneill@wv.gov>

Subject: contact-us - Gordon

Home

Gordon has been added

Modify my alert settings View Gordon View contact-us Mobile View

First

Gordon

Name:

Miller

Last Name:

e:

E-mail gallanmill@aol.com

Address:

Phone 304-288-4707

Number:

Message:

To Whom it may concern,

I am writing in reference to permit application 13-3360, Martin, WH Stone Company.

Plaese be advise I am concerned about the cementbatch plant being built at 1702 Smithtown Road. I live at 1759 Smithtown Road. I have allergies and asthma since I was about 7 years old. I worry that my health will be weary that my health will be adversely affected from the dust which could contain carcinogens that will be put into the air. I feel that this plant should have had to notify us of its development on a commercial property. This has never been an industrial area. The property is surrounded by neighbors and myself some of which are with in 50 yards of the structure. This is way too close for good air quality.

The volume of truck traffic for the arrival of supply and distribution of cement will increase the fumes from the diesel exhaust plus destruction of the roads not capable of handling the weight of these vehicles as can be seen at the Pilot on the Goshen road exit of I-79 less than 1 mile away.

I would like to requestyou to hold a publick meeting on the air quality issue of the WH Stone & Company application(pursuant to Section 9.1, 45-13-9).

Thank you,

Gordon Miller

County:

Monongalia

Last Modified 4/2/2017 9:23 AM by (unknown)

From:

McKeone, Beverly D

Sent:

Monday, April 3, 2017 12:20 PM

To: Subject: Martin, Thornton E FW: contact-us - Ralph

From: Durham, William F

Sent: Monday, April 3, 2017 12:08 PM

To: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>

Subject: Fwd: contact-us - Ralph

Sent from my iPhone

Begin forwarded message:

From: "Oneill, Colleen M" < Colleen.M.Oneill@wv.gov>

Date: April 3, 2017 at 11:53:43 EDT

To: "Durham, William F" < William.F.Durham@wv.gov>, "Glance, Jacob P"

<<u>Jacob.P.Glance@wv.gov></u>

Subject: FW: contact-us - Ralph

Good Morning!!! ☺

I was told to send this to you. THANKS!!! ©

HAVE A SUNNY DAY!!! : ©

From: Home [mailto:support@wvinteractive.com]

Sent: Monday, April 03, 2017 8:21 AM

To: Oneill, Colleen M < Colleen.M.Oneill@wv.gov>

Subject: contact-us - Ralph

Home

Ralph has been added

Modify my alert settings | View Ralph | View contact-us | Mobile View

First

Ralph

Name:

Last Raspa

Name:

E-mail Address: rraspa@ma.rr.com

Phone Number:

Message:

As a nearby resident, I would like to voice my concern about the effect of air and water quality in the area surrounding the redimix concrete batch plant being constructed on the Smithtown Road in Monongalia County just south of Morgantown, WV. Can the WVDEP provide any kind of reassurance that the proper channels are being followed in the construction of this facility and that emissions from this plant will not have a harmful effect on nearby residents?

Thank you.

County:

Monongalia

Last Modified 4/3/2017 8:17 AM by (unknown)

From:

McKeone, Beverly D

Sent:

Monday, April 3, 2017 11:37 AM

To:

Martin, Thornton E

Subject:

FW: contact-us - David

From: Durham, William F

Sent: Monday, April 3, 2017 11:33 AM

To: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>

Subject: Fwd: contact-us - David

Sent from my iPhone

Begin forwarded message:

From: "Oneill, Colleen M" < Colleen.M.Oneill@wv.gov>

Date: April 3, 2017 at 10:22:43 EDT

To: "Durham, William F" < William.F.Durham@wv.gov>

Subject: FW: contact-us - David

Good Morning!!! ©

I was told to send this to you. THANKS!!! ©

HAVE A SUNNY DAY!!! ☺

From: Home [mailto:support@wvinteractive.com]

Sent: Saturday, April 01, 2017 11:46 PM

To: Oneill, Colleen M < Colleen.M.Oneill@wv.gov>

Subject: contact-us - David

Home

David has been added

Modify my alert settings View David View contact-us Mobile View

First Name:

David

Last

Rudy

Name:

E-mall

maxrudy152@comcast.net

Address:

Phone

681-443-1949

Number:

Message:

I filing a complaint against the granting of an Air Permit for:

The Stone Company of Pennsylvania submitted on February 24, 2017 an application for an Air Permit under code NSR (45CSR13) with the WV DEP identified with project # CEC Project 144-205.0005.

My concerns are I live within a mile of the proposed batch plant and I've read over the construction permit especially the (MSDS) section of the application. The prevailing winds blow through the Monongahela River Gorge across the proposed batch plant site into the valley by I-79 interstate up towards my house. I have two fresh air exchangers in my HVAC system for my house.

When my house was built I installed Polystyrene Insulation. I'm worried that my family will be breathing cancer causing particulates that will be trapped in my house due to the HVAC system that was installed years ago.

I have a family that will strongly consider not doing activities outside due to constant winds that surround my house. What do I tell my children when they want to go outside and play.

You can't because the WV DEP granted an air permit to the concrete plant and it is unsafe to go outside. I'm sure you know how hard it is these days to get kids to play outside.

I am also concerned with the air monitoring of this Concrete Plant. How often will the site be monitored for fugitive emissions. Could the residents who live directly on top for the facility have preventive air safety equipment purchased and installed at the cost of The Stone & Company Inc. if so, I would like to be included because I'm in the prevailing wind route.

If the WV DEP does not monitor the air on a regular basis can the residents who live on top of the proposed facility have independent companies monitor to ensure their safety and the WV DEP accept the findings?

I am requesting that the WV DEP conduct a public meeting before an air permit is granted to The Stone & Company Inc. to go over these issues that I have raised.

Thank You, Dave Rudy

County:

Monongalia

Last Modified 4/1/2017 11:42 PM by (unknown)

From:

McKeone, Beverly D

Sent:

Monday, April 3, 2017 10:26 AM

To:

Martin, Thornton E

Subject:

FW: contact-us - William & Rebecca

Comment letter on Wendell Stone Permit Application

From: Durham, William F

Sent: Monday, April 3, 2017 10:09 AM

To: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>

Subject: Fwd: contact-us - William & Rebecca

Pls fwd to Lee...

Sent from my iPad

Begin forwarded message:

From: "Oneill, Colleen M" < Colleen.M.Oneill@wv.gov>

Date: April 3, 2017 at 10:03:29 EDT

To: "Durham, William F" < William.F. Durham@wv.gov>

Subject: FW: contact-us - William & Rebecca

Good Morning!!! ©

I w3as topld to send this to you. THANKS!!! ©

HAVE A SUNNY DAY!!! ©

From: Home [mailto:support@wvinteractive.com]

Sent: Saturday, April 01, 2017 9:06 PM

To: Oneill, Colleen M < Colleen.M.Oneill@wv.gov>

Subject: contact-us - William & Rebecca

William & Rebecca has been added

Modify my alert settings | View William & Rebecca | View contact-us | Mobile View

First:

William & Rebecca

Name:

Davis

Last Name:

beckydavis82@comcast.net

E-mail Address:

Phone Number: 304-296-1042

Message:

We are very concerned about the Stone & Company Concrete Batch plant that is being built on Smithtown road. We live behind where the plant is being built. We are concerned about the air pollution they will be admitting, water pollution and the amount of water they will require. Noise these trucks will be causing. What will this do to our plant do to our property value and our quality of life in general? We request a Public meeting in our area to discuss what we as a neighborhood can do to halt this construction or demand they monitor the pollutions they will be releasing into the air & water.

County:

Monongalia

Last Modified 4/1/2017 9:01 PM by (unknown)

From:

Blasingame, Ben
bblasingame@cecinc.com>

Sent:

Tuesday, April 4, 2017 4:33 PM

To:

Martin, Thornton E

Cc:

McKeone, Beverly D; Macoskey, Kris; Ritter, Dennis; Stas, Elizabeth;

safety@stoneconcrete.com; gregr@stoneconcrete.com

Subject:

RE: WV DAQ NSR Permit Application Notice of Deficiency for Wendell H. Stone

Company, Inc. (Morgantown)

Attachments:

Attachment J - EmissionPointsDataSummarySheet-revised-02-10-11.pdf; Attachment K -

FugitiveEmissionsDataSummarySheet-REVISED-02-10-11.pdf; Attachment L-2 - 2235 _Haul Road EUDS.pdf; Attachment N - Stone Morgantown Concrete Batch Plant

Emission Estimate.pdf

All,

On behalf of Wendell H. Stone Company, Inc., please see the attached revised attachments associated with the Permit Application No. R13.3360.

Thank you,

Ben

Benjamin Blasingame, P.E. / Project Manager

Civil & Environmental Consultants, Inc. 333 Baldwin Road · Pittsburgh, PA 15205-1751

Toll-Free: (800) 365-2324 · Direct: (412) 249-2285 · Fax: (412) 429-2114

Mobile: (412) 420-9449 · http://www.cecinc.com

Senior Leadership · Integrated Services · Personal Business Relationships

From: Martin, Thornton E [mailto:Thornton.E.Martin@wv.gov]

Sent: Monday, April 3, 2017 9:56 AM

To: gregr@stoneconcrete.com; safety@stoneconcrete.com; Blasingame, Ben
bblasingame@cecinc.com>

Cc: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>

Subject: WV DAQ NSR Permit Application Notice of Deficiency for Wendell H. Stone Company, Inc. (Morgantown)

RE: Application Status: Notice of Deficiency

Wendell H. Stone Company, Inc. (Morgantown)

Permit Application No. R13-3360

Plant ID No. 061-00231

Mr. Reshenberg:

Your application for a construction permit for the Morgantown Batch Plant was received by this Division on February 27, 2017 and was deemed to be complete as of March 24, 2017. Upon further review of said application, it has been determined that the following additional information is required:

1. Fugitive Emissions From Paved Haulroads – Analysis and Calculations. The maximum trips per hour and maximum trips per year appear to be in error for a facility of this size (50,000 yd³/year). Please correct and re-submit (Attachment L, Page 2 of 2) and (Attachment N, Page 3 of 5 and Page 5 of 5).

Please address the above deficiencies in writing within fifteen (15) days of the receipt of this email. The application review time clock will be stopped until the requested information has been received. Failure to respond to this request in a timely manner may result in the denial of the application. Should you have any questions, please contact me at (304) 926-0499 ext.1212 or reply to this email.

Thornton E. Martin Jr.

Permit Engineer Division of Air Quality 601 57th Street, SE Charleston, WV 25304

Phone: 304-926-0499 X1212

Fax: 304-926-0479

Attachment J EMISSION POINTS DATA SUMMARY SHEET

	The second second		and the second					
	Emission Concentration 7 (ppmv or mg/m ⁴)		Z,	NA	NA	NA	NA	NA
	Est. Method Used 6		AP-42	AP-42	AP-42	AP-42	AP-42	AP-42
	Emission Form or Phase	Solid, Liquid or	Solid	Solid	Solid	Solid	Solid	Solid
	Maximum Potential Controlled Emissions ร	ton/yr	0.56	0.05	1.66E-2 6.35E-3	0.10	0.24	1.59
	Max Pot Con	Ib/hr	0.39	0.08	3.78E-3 1.45E-3	0.02	0.05	1.11
	Maximum Potential Uncontrolled Emissions 4	ton/yr	0.80	0.16	16.57	0.10	0.24	3.17
Data		1b/hr	0.56	0.05	3.78	0.02	0.05	2.22
Table 1: Emissions Data	All Regulated Pollutants - Chemical Name/CAS3	(Speciate VOCs & HAPS)	PM PM-10	PM PM-10	PM PM-10	PM PM-10	PM PM-10	PM PM-10
Table 1	Vent Time for Emission Unit (chemical processes only)	Max (hr/yr)	NA	NA	NA	NA	NA A	NA
f			NA	NA	NA	NA	NA	NA
1	Air Pollution Control Device (Must match Emission Units Table & Plot Plan)	Device Type	MT:- AG- Control	MT-SD- Control	MT- CT- Control	None	None	HR-AG-
To an annual control		ID No.	MT- AG- Control	MT-SD- Control	MT- CT- Control	None	None	HR-AG- Control
经验证证据 (这里不可以为)可以为1980年	Emission Unit Vented Through This Point (Must match Emission Units Table & Plot Plan)	Source	Transfer of Aggregate	Transfer of Sand	Transfer of Cement	Storage Pile of Aggregate	Storage Pile of Sand	Paved Haulroads- Aggregate Trucks
Ken a section and section and	Emission Throug (Must ma Units Tab	ID No.	MT-AG	MT-SD	MT-CT	SP-AG	SP-SD	HR-AG
	Emission Point Type ¹		NA	ZA	NA	NA	NA	NA
	Emission Point ID No. (Must match Emission Units Table & Plot Plan)		MT-AG	MT-SD	MT-CT	SP-AG	SP-SD	HR-AG

		- Si.	to the state of the second	***	
		NA	Z.A.	\ \ Z	NA
		AP-42	AP-42	AP-42	EE
		Solid	Solid	Solid	Vapor
	0.24	0.0	1.50	3.66	Neg
	0.17	0.0	1.05	2.56	Neg
	0.47	0.02	3.01	7.31	Neg
	0.33	0.05	2.10	5.11	N es
	PM	01-M2	PIM 9M-10	PM PM-10	NOC
	Z	Ğ	MA	AM	NA
	Z	4 7 7 7	· A	NA	NA
		Control	HR- COM- Courtrol	HR. END. Control	NA
	HR-CT-	Control	HR- CON- Control	HR. END. Control	NA
Paved	Haulroads-	Cement Tanker	Paved Haulroads- Concrete Mixer	Paved Haulroads- Endloader	500 gal Diesel Refueling Tank
HR-CT Paved		distance of the second	HR	HR- END	TANK
NA				Z Z	NA
HR-CT			IR-CON NA	HR-END	TANK

The EMISSION POINTS DATA SUMMARY SHEET provides a summation of emissions by emission unit. Note that uncaptured process emission unit emissions are not typically considered to be fugitive and must be accounted for on the appropriate EMISSIONS UNIT DATA SHEET and on the EMISSION POINTS DATA SUMMARY SHEET. Please note that total emissions from the source are equal to all vented emissions, all fugitive emissions, plus all other emissions (e.g. uncaptured emissions). Please complete the FUGITIVE EMISSIONS DATA SUMMARY SHEET for

¹ Please add descriptors such as upward vertical stack, downward vertical stack, horizontal stack, relief vent, rain cap, etc.

2 Indicate by "C" if venting is continuous. Otherwise, specify the average short-term venting rate with units, for intermittent venting (ie., 15 min/hr). Indicate as many rates as needed to

Inorganics, Lead, Organics, O₃, NO, NO₂, SO₂, SO₃, all applicable Greenhouse Gases (including CO₂ and methane), etc. **DO NOT LIST** H₂, H₂O, N₂, O₂, and Noble Gases. 3 List all regulated air pollutants. Speciate VOCs, including all HAPs. Follow chemical name with Chemical Abstracts Service (CAS) number. LIST Acids, CO.

4 Give maximum potential emission rate with no control equipment operating. If emissions occur for less than 1 hr, then record emissions per batch in minutes (e.g. 5 lb VOC/20

⁵ Give maximum potential emission rate with proposed control equipment operating. If emissions occur for less than 1 hr, then record emissions per batch in minutes (e.g. 5 lb VOC/20

Indicate method used to determine emission rate as follows: MB = material balance; ST = stack test (give date of test); EE = engineering estimate;

Provide for all pollutant emissions. Typically, the units of parts per million by volume (ppmv) are used. If the emission is a mineral acid (sulfuric, nitric, hydrochloric or phosphoric) use units of milligram per dry cubic meter (mg/m³) at standard conditions (68 °F and 29.92 inches Hg) (see 45CSR7). If the pollutant is SO₂, use units of ppmv (See 45CSR10).

Attachment J EMISSION POINTS DATA SUMMARY SHEET

the second case (the case of the case of t	es (km)	Easting	586.798	- di tana dana pari kaharatan dana - ara nagagara dana kaharatan dana dana dana dana dana dana dana						
to be seen that the second	UTM Coordinates (km)	Northing	4,379.279							
TO A BRIDGE CO.	evation (ft)	Stack Height : (Release height of entistions above ground level)	1375							
	Emission Point Elevation (ft)	Ground Level (Hoight above mean sea level)	1325							
ase Paramet	· Company of the contract of t	Velocity (fps)	2							
Table 2: Release Parameter Data	Exit Gas	Volumetric Flow 1 (acfm) at operating conditions	009							
		Тетр. (°F.)	Ambient							
	Inner Diameter	(f)	0.54							
	Emission Point ID	No. (Must match Emission Units Table)	MT-CT							

¹Give at operating conditions. Include inerts.
² Release height of emissions above ground level.

Attachment K

FUGITIVE EMISSIONS DATA SUMMARY SHEET

The FUGITIVE EMISSIONS SUMMARY SHEET provides a summation of fugitive emissions. Fugitive emissions are those emissions which could not reasonably pass through a stack, chimney, vent or other functionally equivalent opening. Note that uncaptured process emissions are not typically considered to be fugitive, and must be accounted for on the appropriate EMISSIONS UNIT DATA SHEET and on the EMISSION POINTS DATA SUMMARY SHEET.

Please note that total emissions from the source are equal to all vented emissions, all fugitive emissions, plus all other emissions (e.g. uncaptured emissions).

Ž.	10 C
	APPLICATION FORMS CHECKLIST - FUGITIVE EMISSIONS
1.) Will there be haul road activities?
a year	⊠ Yes □ No
	☑ If YES, then complete the HAUL ROAD EMISSIONS UNIT DATA SHEET.
2.) Will there be Storage Piles?
	⊠ Yes □ No
7.00	☑ If YES, complete Table 1 of the NONMETALLIC MINERALS PROCESSING EMISSIONS UNIT DATA SHEET.
3.)	Will there be Liquid Loading/Unloading Operations?
	☐ Yes No
	☐ If YES, complete the BULK LIQUID TRANSFER OPERATIONS EMISSIONS UNIT DATA SHEET.
4.)	Will there be emissions of air pollutants from Wastewater Treatment Evaporation?
	☐ Yes ☐ No
	☐ If YES, complete the GENERAL EMISSIONS UNIT DATA SHEET.
5.)	Will there be Equipment Leaks (e.g. leaks from pumps, compressors, in-line process valves, pressure relief devices, open-ended valves, sampling connections, flanges, agitators, cooling towers, etc.)?
	☐ Yes ☐ No
	☐ If YES, complete the LEAK SOURCE DATA SHEET section of the CHEMICAL PROCESSES EMISSIONS UNIT DATA SHEET.
6.)	Will there be General Clean-up VOC Operations?
	☐ Yes No
	☐ If YES, complete the GENERAL EMISSIONS UNIT DATA SHEET.
7.)	Will there be any other activities that generate fugitive emissions?
	☐ Yes No
- /25	☐ If YES, complete the GENERAL EMISSIONS UNIT DATA SHEET or the most appropriate form.
f yo Surr	u answered "NO" to all of the items above, it is not necessary to complete the following table, "Fugitive Emissions amary."

		Section of the sectio			The second secon	
FUGITIVE EMISSIONS SUMMARY	All Regulated Pollutants - Criemical Name/CAS1	Maximum Potential Uncontrolled Emissions 1	Potential	Maximum Potential Certrelled Emissions ³	Potential missions *	W. C. C.
Haul Road/Road Dust Emissions			ton/yr	20/01	ton/yr	0.260
Paved Haul Roads (HR-AG, HR-CT, HR-CON, and HR-END)	PM-10	0.40	13.97	0 4 0 0 20 0 20 0 0 0 0 0 0 0 0 0 0 0 0	6.98	J. C. A. C.
Unpaved Haul Roads	K	77	B 7 1 1			
Storage Pile Emissions (SP-AG and SP-SD)	PM PM-10	0.08	0.34	0.08	0.34	AP-42
Loading/Unloading Operations	NA				5	
Wastewater Treatment Evaporation & Operations	N N					
	ZN.					
Equipment Leaks	NA V	Does not apply	Does not apply	Does not apply	Does not apply	
General Clean-up VOC Emissions	NA					
Other: Transfer Point Emissions (MT-AG, MT-SD, and MT-CT)	PM PM-10	4.46	17.54	0.48	0.69	AP-42

¹List all regulated air pollutants. Speciate VOCs, including all HAPs. Follow chemical name with Chemical Abstracts Service (CAS) number. LIST Acids, CO, CS₂, VOCs, H₂S, Inorganics, Lead, Organics, O₃, NO, NO₂, SO₂, SO₃, all applicable Greenhouse Gases (including CO₂ and methane), etc. DO NOT LIST H₂, H₂O, N₂,

² Give rate with no control equipment operating. If emissions occur for less than 1 hr, then record emissions per batch in minutes (e.g. 5 lb VOC/20 minute batch).

³ Give rate with proposed control equipment operating. If emissions occur for less than 1 hr, then record emissions per batch in minutes (e.g. 5 lb VOC/20 minute).

4 Indicate method used to determine emission rate as follows: MB = material balance; ST = stack test (give date of test); EE = engineering estimate; O = other

Attachment L FUGITIVE EMISSIONS FROM UNPAVED HAULROADS

UNPAVED HAULROADS (including all equipment traffic involved in process, haul trucks, endloaders, etc.)

k = Parti	cle size multiplier	4				PM		PM-1	0
3 03 0						N/A			
s = Silt c	content of road surface	material (%)							
p = Num	her of days per year w	ith precipitati	on >0.01	in.					
	A CONTRACTOR OF THE PROPERTY O								
ftern .	Description	Number	Mean Vehicle	Mean Vehicle	Miles per	Maximum	Maximum	Control	Control

Item Number	Description	Number of Wheels	Mean Vehicle Weight (tons)	Mean Vehicle Speed (mph)	Miles per Trip	Maximum Trips per Hour	Maximum Trips per Year	Control Device ID Number	Control Efficiency (%)
1 ,			No	ot Applical	ole				
2									
3									
6.									
5									
6									
7									
8									

Source: AP-42 Fifth Edition - 13.2.2 Unpaved Roads

 $E = k \times 5.9 \times (s + 12) \times (S + 30) \times (W + 3)^{0.7} \times (w + 4)^{0.5} \times ((365 - p) + 365) =$

lb/Vehicle Mile Traveled (VMT)

Where.

T.		PM	PM-10
K ==	Particle size multiplier	N/A	
s =	Silt content of road surface material (%)		
S=	Mean vehicle speed (mph)		
W =	Mean vehicle weight (tons)		<u></u>
w=	Mean number of wheels per vehicle		
	Number of days per year with precipitation >0.01 in.		

For lb/hr: [lb \div VMT] \times [VMT \div trip] \times [Trips \div Hour] =

lb/hr

For TPY: $[lb + VMT] \times [VMT + trip] \times [Trips + Hour] \times [Ton + 2000 lb] =$

Tons/year

SUMMARY OF UNPAVED HAULROAD EMISSIONS

	Р			PM-10					
Item No.	Uncontrolled lb/hr TPY	Contr lb/hr	olled TPY	Uncon	trolled	Contr			
4		10/111		lb/hr	TPY	lb/hr	TPY		
			Not Ap	plicable					
2									
3									
4									
5									
6									
7									
8									
TOTALS									

FUGITIVE EMISSIONS FROM PAVED HAULROADS

INDUSTRIAL PAVED HAULROADS (including all equipment traffic involved in process, haul trucks, endloaders, etc.)

i L		no involved in process, riadi trucks, eridioaders, etc.)
1 =	industrial augmentation factor (dimensionless)	See Calculations for
n =	Number of traffic lanes	Emission Estimate Methodology
s=	Surface material sit content (%)	- Interior Estimate Methodology
L=	Surface dust loading (lb/mile)	

Herri Number	Description	Mean Vehicle Weight (tons)	Miles per Trip	Maximum Trips per Hour	Maximum Trips per Year	Control Device ID Number	Control Efficiency (%)
1	Aggregate Trucks	27.5	0.133	2	3,100	HR-AG- Control	50
2	Cement Tanker	27.5	0.114	1	540	HR-CT- Control	50
3	Concrete Mixer	25.82	0.095	2	4,390	HR-CON- Control	50
4	Endloader	13.5	0.076	10	25,833	HR-END- Control	50
5							
6							
7							
8							

Source: AP-42 Fifth Edition = 11.2.6 Industrial Paved Roads

 $E = 0.077 \times I \times (4 \div n) \times (5 \div 50) \times (L \div 1000) \times (W \div 3)^{0.7} =$

lb/Vehicle Mile Traveled (VMT)

Where,

I =	Industrial augmentation factor (dimensionless)	
n=	Number of traffic lanes	
s =	Surface meterial silt content (%)	
L=	Surface dust loading (lb/mile)	
W=	Average vehicle weight (tons)	

For ib/hr: $[lb + VMT] \times [VMT + trip] \times [Trips + Hour] = lb/hr$

For TPY: $[lb \div VMT] \times [VMT \div trip] \times [Trips \div Hour] \times [Ton \div 2000 lb] = Tons/year$

SUMMARY OF PAVED HAULROAD EMISSIONS

item No.	PM Und	ontrolled	PM Co	ntrolled
1	lb/hr	TPY	lb/hr	TPY
	2.22	3.17	1.11	1.59
2 .	0.33	0.47	0.17	0.24
3	2.10	3.01	1.05	1.50
	5.11	7.31	2.56	3.66
5				0.00
6				
7				
8				
TOTALS	9.77	13.97	4.88	6.98

144-203	CHUNED BY JEG DATE 432017	Basis of Assumption Voluntary Permi Limi			Assumed 3.100 by Aggregate Sand for every 3.800 the concepts and Aggregate San	Assumed 540 Ibs Coment Coment Supplement for every 3,8/00 Ib concrete and Cement/Cement Supplement is 72%, Crement	Assumed 540 lbs Cenent/Cement Supplement for every 3,800 lb concrete and Cement/C ment	(Volume Volume)	Voluntary Permit Limit	Voluntary Permit Limit	Volutiay Permit Limit
DATE		50,000	3,300	95,000 46,500	31,000	10.125	3,375	10.0	9	52.	2,860
Summary of Busissions Wendell H. Stook & Company Monorgalia County BNB	Overall Project Assumptions	Total Concrete Generated at Site	Total Concess Consessed St.	Throughput of Aggregate	Throughput of Sand	Throughput of Cement	Throughput of Supplemental Cement	Unity Operation	A strated Observious	Amuse Operation	Contaga Operation
SUBJECT PROJECT MADE BY:											

SUBIECT	Communication of formations		Civil & Environmental Consultants, Inc.	lants, Inc.	The part of the last of the la	The state of the s	III de la companya de	
PROJECT	Wendell F. Stone & Company	ny			PROJECTINO	144-205		
200 0000	Monongalia County	This is the company of the company o						
MADE BY		DATE	4/3/2017		CHECKED BY JUG	DATE	4/3	4/3/2017
MATERIAL TRANSFER	Section Company of Com							
e languegate transfe		0.0069 Byton (PM emission factor)	The state of the s	Total rests	V 10 No. 10 Inc. 10			•
forther Point	Transfer that While	1-45-65 (Tue :		5,003	CONSS (s/ton (PM-10 emission factor)			
loader to stocknila	16.26	46	none		0.4100	1	_	
loader to feed hopper	16.25	0	none	0	0		92.0	0.0767
hopper to conveyor	00.00	46,500	none	0	0.1122	0.0537	150	72500
conveyor to bin	16.26	96 Son	none	0	0.0000	0.0000	0.0000	00000
bin to scale hopper	16.28	46 40	Partial Enclosure	50	0.0561	0.0268	0.0802	0.0384
conveyor to mixer truck	16.26	46,500	Partial Enclosure	5.0	0.0561	0.0268	0.0202	0.0384
MT-SD or Sand Transfer Emissions (3-05-011-05,22,24)	sions (3-05-011-05,22,24)			Total Aggregate Fransfer Emissions	0.3926	0.1878	0.5615	0.2635
Transfer Point	Transfer Rate (TDH)	0.0021 lb/ton (PM emission factor)	=0		0.00099 lb/ton (PM-10 emission factor)			
Dump truck to stockpile	10.84	Fansier Rate (IPV)	Type of Control	framery	PM (loyhour)	Physiological province	50× 600	10.8 LO TEN
loader to stockpile	0.00	0	none	0	0.0228	0.0107	0.0326	0.0153
loader to feed hopper	10.84	31,000	none	0	0	0	0	0
nopper to conveyor	0.00	0	none		0.0228	0.0107	0.0326	0.0153
bin to scale hopper	10.84	31,000	Partial Enclosure	50	0.0114	0.0000	0.0000	0.0000
conveyor to mixer truck	10.84	31,000	Partial Enclosure	50	0.0114	0.0054	0.0163	72000
			ratial Entidedire	20	0.0114	0.0054	0.0163	0.0077
MT-CT or Cement Transfer Emissions	ilssions		I	fotal Sand Transfer Emissions	0,0797	0.0376	0.1139	0.0537
Cement Unloading to Silo (3-05-011-07)								
Fransfer Point	Transfer Rate (TDL)	0.73 lb/ton (PM emission factor)	##		0.47 lb/ton (PM-10 emission factor)			
ruck to cement silo	1.16	10,125	Type of Control Full Enclosure Vented to Bagnouse	Control Efficiency	PM (Ib/hovr)	PM-10 [lb/hour]		PN-10 TP
Cement Supplement Unloading to Silo (3-05-011-17)	ig to Silo (3-05-011-17)			6.50	0.00084	0.00054	0.0037	0.0024
Tennefor Dame		3.14 lb/ton (PM emission factor)			1 1 lh from 10M 10 aminima A			
Truck to cement silo	0 39	Transfer Rate (TPY)	Type of Control	yanay	PM (Ib/hour)	Pag-10 (By facur)	WILL TOW	Ohe to man
		C)C'C	Full Enclosure Vented to Baghouse	99.9	0.00121	0.00042	0.00530	0.00186
Weigh Hopper Loading (3-05-011-08)		0.0048 lb/ton (PM emission factor)	110	0				
Silo to rement worth him	Transfer Rate (TPH)	Transfer Rute (TPY)		Control Efficiency	O.UUZB ID/Ton (PIM-10 emission factor)			
in to center weigh nill	1.54	13,500	Full Enclosure Vented to Baghouse	99.9	0.0000074	0.0000043	PM TPY PM-10 TPY	PM-10 TPY
Central Mixer Loading (3-05-011-09)		0.572 (b/ton (PM emiccion factor)				Cthoopper	0.0000324	0.0000189
Transfer Point	Transfer Rate (TPH)	Transfer Rate (TPY)	Take of frames		0.156 lb/ton (PM-10 emission factor)			
Cement weigh bin to truck	0	0	N/A	Control Efficiency	PM (lb/hour)	PM-10 (lb/hour)	PM TPY PM-10 TPY	PM-10 TPY
ruck Loading (3-05-011-10)					0.0000	0.0000	0.0000	0.0000
Transfer Point	1.1 Transfer Bate (TPH)	1.118 lb/ton (PM emission factor) Transfer Bate (Travi	The state of the s		0.31 lb/ton (PM-10 emission factor)			
Cement weigh bin to truck	1.54	13,500	Full Enclosure Vented to Baghouse	Control Efficiency 99.9	PM (lb/heur) 0.0017	PM-16 (lb/hour)	1. 1	PIA-10 TPY
				3		0.00040	0.0075	0.0021
				lotal Lement Transfer Emissions	3.78E-03	1.45E-03	1.66E-02	6.35E-03
				Total Transfer Emissions	0.4761	0.2268	0.6920	93020

MOTORIGATION MOTORIGATION	K K K K K K K K K K	PM 10 Fmusions 0.00201 0.00047 355 0.076 0.144 0.1044 0.1044 0.10627 270 270 270 270 270 270 270	CHECKED BY: JI.G. II. Or in the control of the cont	DATE. 44872017
11.000047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047 12.00047	# # # # # # # # # # # # # # # # # # #	PM 10 Emissions 0,0012 0,00047 0,00047 0,76 0,76 0,194 0,10,985 50 0,0007 0,0007 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,00047 0,000	CED RY: // II.G are multiplier (seemed) see all tool (gan) see all tool (gan) maveraging period cost for breadylite wear noveraging period cost tool (gan) cost tool (gan) cost tool (gan) de weekly (tool) and it lood (gan) cost tool	
PM Emissions PM Emissions PM Emissions	K K K K K K K K K K	PM 10 Emissions 0,0012 7 0,00047 0,00047 0,76 0,76 0,194 0,102,94 0,102,94 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,0027 0,00	Particle stemultiplier (restimed) coult active able to dispute mental recipients and mental recipients entistian factor for breakfure wear entistian factor for breakfure wear at of days in averaging period UNITYPOINT VAITYPOINT VAITYPOINT VAITYPOINT VAITYPOINT Control effectively (%) Darticle size multiplier (assumed) mean vertile weight (all full) mean vertile weight (all full) entistion factor for breakfure wear entistion factor for breakfure wear for of days in averaging period 18/MMIT WMT/NONT VMIT/NONT VMIT/NONT VMIT/NONT CONTROL effectively (%)	
PM Enriscion	K W W W W W W W W W W W W W W W W W W W	PM 10 Finisions 0.00247 0.00047 0.00047 0.00047 0.00077 0.00077 0.00077 0.0007 0.0007 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047	principle size multiplice (issumed) and and size, all food (grin) mean volicie weight (fers) entission factor for break/tre west entission factor for break/tre west if of days in averaging period NAT/hour VMT/hour VMT/hour VMT/hour VMT/hour VMT/hour VMT/hour VMT/hour VMT/hour Food surface sitt load (g/m²)	
0.000 0.00047 1.11 1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.14 1.15 0.017 0.00047 365 1.150 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017	N N N N N N N N N N	0.000047 0.000047 0.000047 0.000047 0.00047 0.00047 0.00077 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047	Positive stor mutipalic (insurned) mean votice sets mutipalic (insurned) mean votice weget for a fig. mean votice was for a fig. mean votice was to a fig. mean votice was fig. mean vot	
11.1 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1.5.4 1	1 1 1 1 1 1 1 1 1 1	0.00047 2.005 0.76 0.76 0.194 2.19.98.5 0.0047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047	outh outsign of the figures in mean to the figures of the figures	
11.1 1.19 1.19 1.10 1.10 1.10 1.10 1.10		0.00047 0.00047 0.00047 0.0144 0.01985 50 50 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047	mean volicide vergibt (c.m.) a verget ingenion alea not presistant emission festor for broad/fire wear if of days in averaging period (IV/Myr) VM/I/Nour VM/I/Nour Control efficie say (f.s.) DOS 0.05 0.05 0.05 mean vehicle size multiplier (assumed) mean vehicle weight (last only light) mean vehicle days in averaging period emission factor for broad/tite wear emission factor for broad/tite wear WM/I/Nour VM/I/Nour VM/I/Nour VM/I/Nour	
0.00047 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365 365		1855 000007 1865 0.144 0.176 0.144 0.10.985 90.0027 180.0027 180.0027 0.0027 180.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027 0.0027	Particle size multiplier (assumed) Particle size multiplier (assumed) Control efficiency (%) Oods surface silk load (g/m²) The mean volutiplier (assumed) Coad surface silk load (g/m²) The mean volutiplier (assumed) The coad surface silk load (g/m²)	
1.11	INAVIII INAVII	0.00047 0.76 0.76 0.194 0.19955 0.6 0.19955 0.6 0.00077 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047 0.00047	emission fetter for broak/fire wear If of days in averaging period Ood surface silt load (g/m²) rean velide weight (fons) of over days with a leave 0.1 includation emission factor for break/tire wear if of days in averaging period IE/NMIT VMIT/bear VMIT/bear OMIT/bear	
11.1 1.59 1.10 1.59 1.59 1.59 1.59 1.59 1.59 1.59 1.59	K K K K K K K K K K K K K K K K K K K	28.5 0.76 0.144 4,129.985 90 10.0027 70 70 70 70 70 70 70 70 70 7	## of days in averaging period I,VMT/now WMT/now WMT/now Control efficiency (%) 0.05 0.05 0.05 0.05 0.06 0.06 0.07 0.09 0.09 0.09 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	
1.1.1 1.1.59 1.1.1 1.1.59 1.1.1 1.1.59 1.1.1 1.1.59 1.1.1 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59 1.1.59	RAYATI FRAYEL COMPLECT COMPLECT RAYEL TRAVEL TRAVEL TRAVEL TRAVEL	10.194 (219.585) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586) (219.586)	NAT/Nover VMAT/Nover Control efficie wey (1s) 0.05 0.06 0.06 0.06 0.06 0.06 index vertice site multiplier (assumed) mean vehicle weight (last only precipitation emission factor for broak/tite wear emission factor for broak/tite wear emission factor for broak/tite wear want/hour VMAT/Nour control efficiency (%)	
1.11 1.59 1.00 1.59 1.10 1.11 1.59 1.00 1.50 1.50 1.50 1.50 1.50 1.50 1.50	FRANCE CONTROLS K K W W W N N N N N N N N N N	70.00.97 1.50.985 1.50.985 1.50.985 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.50.97 1.	Virth Your Control efficiency (%) 0.05 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0	
1.11 1.59 1.10 1.10 1.10 1.11 1.11 1.12 1.13 1.13 1.14 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	CONTROLS K K W W P C C N N RAVEL FRAVEL GONTROLS	90 missions (Ib/neur) missions (FPV) missions (FPV) PM-LI0 Emissions 0.0027 27.5 27.5 120 0.00047 36.5 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021	particle size multiplier (assumed) 0.05 0.08 0.08 0.08 1.08 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09	
1.13 1.59 1.10 1.59 1.10 1.00 1.10 1.00 1.10 1.00 1.10 1.1	k st w w p p c c c c c c c c c c c c c c c c	It is store (Ib/hour)	0.05 0.08 0.08 in the state multiplier (assumed) in oad surface sit load (gim f) mean vehicle weight (loss) of wet days with at least 0.31 precipiation emission factor for break/tire wear ff of days in averaging period LEA/VIIT VMT/hour VMT/hour Control efficiency (%)	
1.59 puloadé - Cement Tanker 2.0 2.0 2.15 1.50 1.50 1.50 2.24 1.5.44 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0	k st	missions (b)/nour) missions (FPV) PM-10 fenisators 0.0027 70 70 70 70 70 70 70 70 70	0.05 0.08 particle size multiplier (assumed) road surface sit load (g/m ³) mean vehicle weight (assumed) in over days with a tear (assumed) in over days in averaging period is NMT/hour VMT/hour control efficiency (%)	
PM Emissions PM Emissions	k NW WW WW WW WW WW C C C C C N NAVEL TRAVEL CONTROLS	PM-10 Emissions 0.0027 70 70 71.5 150 0.00047 8.55 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76	0.08 particle size multiplier (assumed) road surface silt load (g/m²) rean veride velegit (assumed) rean veride velegit (assumed) a over day with at learton; probletion emission factor for break/lire wear for flass in averaging period 18/MVIT VMT/kear control efficiency (%)	
PN Emissions	k st. yv. yv. yv. c c c controls	PM-L0 Emissions 0.0027 0.0027 70 27.5 27.5 120 0.00047 0.00047 0.00047 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.7	particle size multiplier (essumed) road surface sit load (g/m ⁵) mean vector (g/m ⁵) or vector (g/m ⁵	
0.011 0.001 0.001 0.001 0.001 0.001 0.0004 0.0004 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.004 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.0004 0.001 0.0004 0.001 0.0004 0.0004 0.0004 0.001 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004 0.0004	k k st.	PM-10 Emissions 0.0027 70 70 70 70 70 70 70 70 70 70 70 70 70	particle size multiplier (assumed) road surface sit load (g/m ³) mean vehicle wielfyr (g/m ³) is of wet days with a face on your control every fire the control every fire wear emission factor for breakfire wear for days in averaging period (ab/n/m ³) w/m/hour (M/f/kear (M/	
2011 275 275 275 275 275 277 200047 365 365 367 00.17 0.17 0.17 0.17 0.17 0.17 0.17 0.	k k k k k k k k k k k k k k k k k k k	0.0027 707 727.5 727.5 150 0.00047 3.65 0.76 0.76 0.27 0.22 0.23 0.23 0.23 0.23 0.23 0.23 0.23	particle size multiplier (assumed) road surface silt load (g/m²) mean veride veligit (load) at over day with at learton; probletion emission factor for break/lire wear for factor for break/lire wear for factor for break/lire wear for factor for break/lire wear winthour winthour veraging period (stywar winty)ear control efficiency (%)	
27.7 27.7 15.7 15.4 15.44 15.44 15.44 15.44 15.44 15.44 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.1364 16.136	SE CONTROIS	70.7 70.8 77.5 72.7 12.0 0.00047 0.00047 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.7	particles an untiplical assumed) road surface silt load (g/m³) road surface silt load (g/m³) road vert days untiplication for break/thre wear emission factor for break/thre wear for days in averaging period LB/VMT VMT/hear VMT/kear Control efficiency (%)	
27.5 12.0 0.00047 0.024 13.44 0.021 0.024 13.64 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.017	W P P P P P P P P P P P P P P P P P P P	27.5 27.5 2.50 0.00047 3.65 0.76 0.0031 61.354 50	road surface sit load (g/m²) mean vehicle wieght (g/m²) row vet dee wie far the constitution row vet dee with at face to a precipitation row vet dees with at ware sit in the constitution is of days in averaging period 18/N/MT VMT/hear VMT/hear control efficiency (%)	
190 000047 355 15.44 0021 (13.54 0024 0.17 0.17 0.17 0.17 0.17 0.01 0.01 0.01	P C C N N N N N N N N N N N N N N N N N	150 150 0.00047 155 155 155 10.76 0.76 0.20 10.21 50	mean vertile weight fried in eight fried weight fried weight fried weight fried weight fried weight of or fried weight of or fried weight fried weight of or fried weight fried weight of or fried weight fried weight or fried weight of the fried we	
0.00047 36.54 36.44 0.02.1 0.02.1 0.02.1 0.02.1 0.02.1 0.02.1 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.02.4 0.	C N N N N N N N N N N N N N N N N N N N	0.00047 365 0.76 0.76 0.021 6.1364 50	if of wed deey with it item toods. I precliptation emission factor for break/lire wear if of days in averaging period IB/NMT WMT/hour VMT/hour VMT/hour Control efficiency (%)	
15.44 0021 6.1564 50 0.17 0.17 0.24 autroads - Concrete Mixer 0.011 70 25.82 150 0.00047 365 14.48 0.145 1.05 1.05 1.50	N RAMEL TRAVEL CONTROLS	365 365 0.76 0.021 61.364 50	emission factor for breakfire wear R of days in averaging period LB/VMT WAT/hear VMT/kear Control efficiency (%)	
15.44 0021 81.364 50 0.17 0.17 0.24 10.01 10.01 10.02 10.02 10.02 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03 10.03		0.75 0.75 0.021 61.364 50	# or days in averaging period LB/VMT VMT/hour VMT/Year Control efficiency (%)	
10.02.1 0.17 0.17 0.24 autroads - Concrete Miter 0.01 0.01 0.01 0.01 1.50 1.05 1.05 1.05 1.05		61.364 50	WIT/hour VMIT/year control efficiency (%)	
0.17 0.24 0.24 0.24 0.01 0.01 		61.364	VMT/year control efficiency (%)	
0.17 0.24 0.24 0.24 0.01 0.01 0.01 0.01 0.01 0.00 0.00 0.0		50	control efficiency (%)	
0.17 0.24 0.24 autroads - Concrete Miker 0.011 0.011 0.011 150 0.00047 0.00047 0.0145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.145 0.1	13 19			
0.24 Jaulroads - Concrete Miker PM Emissions 0.011 70 25.82 25.82 25.82 25.82 365 20.00047 365 1.448 0.145 1.05 1.05	P 9			
PM Emissions		Emissions (lb/hour)	0.01	
PM Emissions		Circle (171)	0.01	
0.011				
70 28.82 28.82 28.82 18.00 0.00047 3.65 3.65 3.48 0.145 418.721 418.721 50 1.05 1.50		PM-10 Emissions		
25.82 150 0.00007 365 14.48 0.14.8 0.14.8 0.14.8 1.05 1.05 1.50	×	0.0027	particle size multiplier (assumed)	
150 0.00047 365 11448 0.145 415.721 50 1.05 1.50	7	70	road surface sit load (a/m²)	
0,00047 365 365 3448 1448 0,145 50 50 1,05 1.50	M	25.82	mean vehicle weight (tons)	
365 1448 0.145 415.721 50 1.05 1.50	a. (150	9 of wet days with at least 0.01" precipitation	
13.48 0.185 10.5721 50 1.05 1.50 1.50	\top	0.00047	emission factor for break/tire wear	
0.145 415.721 50 1.05 1.50	2	365	# of days in averaging period	
115721 50 1.05 1.50	TOWN	0.69	LB/VMT	
105 1.50	TOWNER	0.145	VMT/hour	
1.05	CONTROLS	415.721	VMT/year	
	- Country	20	control efficiency (%)	
	100			
		Emissions (lb/hour)	0.05	
		issions (TPY)	0.07	
HR-END or Paved Haulroads - Endloader				
PM Emissions		PM-10 Emissions		
1		0.0027		
	sl	1000	particle size multiplier (assumed)	
		19.5	road surrace sirt load (g/m²)	
150 # of wet days with at least 0.01" precipitation	Ь	150	mean venicle weignt (tons)	
0.00047 emission factor for break/tire wear	S S	0.00047	emission factor for head this	
365 # of days in averaging period	z	365	# of days in supersoing seed of	
	9	0.26	I B/VMT	
TRAVEL 1953 021	TRAVEL	0.684	VMT/hgur	
110.110.1	TRAVEL	1957.071	VMT/year	
	CONTROLS	\$0	control efficiency (%)	
Emissions (Ib/hour) 2.56	•	:		
Emissions (TPY) 3.66	E. L	Emissions (lb/hour)	0.09	

SURIECT	Chamber of Conjusting		Civil & Environmental Consultants, Inc.	Consultants, Inc.	ermonico (Milli fe america del Millio (Millione del America del America (Millione del Am	19. Words, Lamiga Camperery LPM, Charles and R. 1962 Lamin W. Made.	Shirt of the Shirt of the Control of the Shirt of the Shi
PROJECT	Wendell H. Stone & Company Monongalia County	III)			PROJECTI NO.	144-205	
MADE BY.	ISNB	DATE	4/3/2017		CHECKED BY: JIA	DATE	4/3/2017
Wind Erosion for Storage Piles	VIES CONTRACTOR OF CONTRACTOR	And the second section of the second section of the second section of the second section secti					
35	PAM Caristinas	Coll. provident (AC)		P.M. J. G. Err. estons		TOTAL BO	
PM Emissions	(1)	days of precipitation (assumed)	PM Embision	10	sik content (%)		
A :	0.013774105	Surface area (acres)	¥. 4	(A)	time the wind excertls 12 mph (%)	n ar a de cora	
Controls	4	number of storage piles	N	V. D. L. J. A. 103	surface area (acres)	1	
	The second secon	[2]	Controls	0	8		
Emissions (Ib/hour) Emissions (TPY)		0.024 0.104		Emisdens (lb/heur) Emisdens (TPY)	0.011		
Sand	A S work proven states and manage of plants and the state of the state						
	PM Emissions	The delicant particular to the second		Con Con	The same of the sa		
so I	30	silt content (%)	5	FIVI-10 EMISSIONS	The same same		
PM Emissions	150	days of precipitation (assumed)	PM Emissions	30	silt content (%)		
-	15	time the wind exceeds 12 mph (%)	9	150	days of precipitation (assumed)		
A	0.013774105	surface area (acres)	4	15	time the wind exceeds 12 mph (%)		
Z	m	number of storage niles	N. Carlotte	0.013774105	Surface area (acres)		
Controls	C	57110	2 (3	number of storage piles		
			Controls	0	%		
Emissions (lb/hour) Emissions (TPY)	5 6	0.054 lb/hour		Emissions (lb/hour)	0.025	,	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Emissions (TPY)	0110		

SUBJECT	Surametre of Engelson		Civil	& Environmental C	onsultants, Inc.	ter (1997) Mary (1997) and 1998 (State Language) (CVI & Environmental Consultants, Inc.	CONTRACTOR CONTRACTOR	C 2000 com removal concurrant constitution	Comment of the contract of the
PROJECT	Wendell (I. Stone & Con	Stone & Company					PROJECT NO		144 205	
MADE BY:	MADE BY: BNB		DATE	1/3/2017			CTURCKED BY: JEG	A.G.	DATE	
Emission Source Summary	mission Source Summary									
Point Source Emissions Transfer Point Emissions Point Source Emissions Total	Merch 9	PM Emissions	V 7 V	18/Jios. 0.23	Pakag Yangaay	0.33				
Fugitive Emissions Paved Haulroad Emissions Stockpile Emissions Fugitive Emissions Total	ቶ. 8.8 የ. የ. የ		6.98 0.34 7.32	0.20 0.04 0.24		0.29 0.16 0.45	Person were assumed a region			
Facility Emissions Total	3.44		8.01	0,46		0.78				

From:

Martin, Thornton E

Sent:

Monday, April 3, 2017 9:56 AM

To:

'gregr@stoneconcrete.com'; 'safety@stoneconcrete.com'; 'bblasingame@cecinc.com'

Cc:

Mckeone, Beverly D (Beverly.D.Mckeone@wv.gov)

Subject:

WV DAQ NSR Permit Application Notice of Deficiency for Wendell H. Stone Company,

Inc. (Morgantown)

RE:

Application Status: Notice of Deficiency

Wendell H. Stone Company, Inc. (Morgantown)

Permit Application No. R13-3360

Plant ID No. 061-00231

Mr. Reshenberg:

Your application for a construction permit for the Morgantown Batch Plant was received by this Division on February 27, 2017 and was deemed to be complete as of March 24, 2017. Upon further review of said application, it has been determined that the following additional information is required:

1. Fugitive Emissions From Paved Haulroads – Analysis and Calculations. The maximum trips per hour and maximum trips per year appear to be in error for a facility of this size (50,000 yd³/year). Please correct and re-submit (Attachment L, Page 2 of 2) and (Attachment N, Page 3 of 5 and Page 5 of 5).

Please address the above deficiencies in writing within fifteen (15) days of the receipt of this email. The application review time clock will be stopped until the requested information has been received. Failure to respond to this request in a timely manner may result in the denial of the application. Should you have any questions, please contact me at (304) 926-0499 ext.1212 or reply to this email.

Thornton E. Martin Jr.

Permit Engineer Division of Air Quality 601 57th Street, SE Charleston, WV 25304

Phone: 304-926-0499 X1212

Fax: 304-926-0479

From:

Adkins, Jesse D

Sent:

Friday, March 31, 2017 10:06 AM

To:

Martin, Thornton E

Subject:

FW: Smithtown Road Concrete Site Update

Attachments:

IMG_0219.jpg; IMG_0213.JPG

From: Tephabock, Brian S

Sent: Friday, March 31, 2017 10:01 AM

To: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>; Durham, William F <William.F.Durham@wv.gov>; Adkins, Jesse

D <Jesse.D.Adkins@wv.gov>

Cc: Powroznik, Kirk A <Kirk.A.Powroznik@wv.gov> **Subject:** Smithtown Road Concrete Site Update

Good morning,

Kirk and I visited the site this morning. It was raining outside and no one was onsite. We could see that the company is continuing efforts to prepare and secure the site. Attached are two photos of the structure which has recently been formed and poured with concrete. Kirk and I initially thought it could be the substructure of the control room. When we got into the office, we called the company to inquire. Adam Stone, manager/owner, told us that the structure is actually being used in the function of a retaining wall structure to help secure the bank behind. A previous concrete block wall was there but had deteriorated and unusable. The same structure will later be extended left/right with wings walls to stabilize the second tier of the elevated property. Everything behind is supposed to have drainage and backfill. The future plant will set in front of/backed up to this structure. Adam specifically indicated that they will not bring any part of the concrete plant onto the site until they receive our permit. He is very much aware of the citizens and reportedly has spoken many times to them. He is willingly to plant any type of trees/shrubbery on the outside edge of the property in addition to the few trees which were left. He wants to wait until final grading construction to plant anything. We are meeting with Adam and his engineer onsite Tuesday morning to let them show us what and where all parts of this facility and equipment will be located.







From:

James O'Callaghan < o-callaghan@comcast.net>

Sent:

Wednesday, March 29, 2017 1:51 PM

To:

McKeone, Beverly D; Martin, Thornton E

Subject:

Concrete Batch Plant-1702 Smithtown Rd., Morgantown, WV 26508

Attachments:

1702 Smithtown Road.jpg

Ms. Mckeone/Mr. Martin:

We are owners of 51 Briar Lea Lane, Morgantown, WV 26508 and look directly down on the proposed batch concrete plant at 1702 Smithtown Rd., Morgantown, WV 26508.

From the application to the DEP for a construction permit for this facility, it would appear that the permit has to be granted before construction can begin. As you can see from the attached photograph taken this AM (March 29, 2017), construction has more than begun: they are pumping concrete into the forms for one of the buildings on the site.

Here are a few additional concerns and items of note to us:


- 1)This proposed batch concrete plant is to be built less than 200 feet from our living room
- 2)We received no written notice of what was going on from the owners until we discovered their application to the Dept of Environmental Protection.
- 3) they took down every tree and have almost undermined Briar Lea Lane until our neighbor below complained that we would not have access to the houses if they continued...they responded by building a concrete block wall to shore up Briar Lea Lane
- 4) the proposed plant will have sand and aggregate stockpiles located as close to our houses as possible...this material will be moved on a daily basis several times according to the application...creating dust that they will control by watering "as needed"
- 5) A 5-story silo (50ft tall according to the application) will be built to make the product with dust control only at the upper exhaust
- 5) Even a cursory read of the MSDS for the materials to be used give you an idea of the potential adverse effects of exposure to the materials.....our house is directly upwind of the proposed plant and will be continuously covered with dust should it be built
- 6) over 100 trips per day of the concrete trucks are proposed in the application and that doesn't count the cement supplier deliveries or the skip loader to supply sand and aggregate to the hopper. (on a schedule of 10 hour days beginning as early as 6:00 AM

Both of us have Ph.D.'s in the neurosciences with over 35 years experience each AND we both worked for over 16 years (each) as Federal Employees of the U.S. Environmental Protection Agency in Research Triangle Park, NC. We now have been employees of the U.S Centers for Disease Control and Prevention for 20 years each. We are committed public health and environmental health researchers and know a little bit about airborne pollutants...many of which have been implicated in development of asthma and other lung diseases as well as neurological diseases (such as Parkinson's disease), especially since we now know that PM10's can get into your brain.

Surely, the Dept. of Environmental Protection must have some concerns about the airborne pollutants that will be generated from this plant and regulations must exist to have acceptable air quality levels, levels that will not be met if this plant operates so close to 3 residences.

James P. O'Callaghan, Ph.D. Diane B. Miller, Ph.D. 51 Briar Lea Lane Morgantown, WV 26508

304-685-2794 o-callaghan@comcast.net



From: McKeone, Beverly D

Sent: Wednesday, March 29, 2017 8:33 AM **To:** Warbel, Robyn; Aluise, Thomas J

Cc:Martin, Thornton ESubject:RE: Concrete PlantAttachments:Bev McKeone P E .vcf

Robyn,

The General permit is basically an expedited type of permitting process. The permit is already written. A source applies to register under the general permit and agrees to comply with the conditions already written in the permit. In return, the application review process is shortened to 45 days and there is only one 30 day comment period.

In contrast, the standard Rule 13 construction application is a 90 day review process. It has two – 30 day comment periods. The first is when the company applies for a permit (and that is where the application review is at right now). The second 30 day comment period occurs after the DAQ has reviewed the application, and if we believe the source will be in compliance with all applicable state rules and federal regulations, the DAQ will draft a permit, write an engineering evaluation and publish a public notice. This DRAFT permit and engineering Evaluation will be published on our website and provided to the public for their review and comment.

There is no siting criteria, such as a distance from a proposed source, that is part of any state air quality rule, federal regulation, or the Clean Air Act. The DAQ created the 300 feet criteria as an eligibility test for all of our general permits. It is meant to ensure that sources that wish to locate closer than 300 feet undergo a thorough review before any permit is issued.

Let me know if you have any additional questions,

Bev

Bev McKeone P. E.

WV DEP Division of Air Quality NSR Program Manager Environmental Protection +1 (304) 926-0499 x 1260 Work Beverly.D.McKeone@wv.gov 601 57th St. SE Charleston, WV 25304

From: Warbel, Robyn [mailto:rowarbel@hsc.wvu.edu]

Sent: Wednesday, March 29, 2017 7:46 AM **To:** Aluise, Thomas J < Thomas.J.Aluise@wv.gov>

Cc: McKeone, Beverly D <Beverly.D.Mckeone@wv.gov>; Martin, Thornton E <Thornton.E.Martin@wv.gov>

Subject: RE: Concrete Plant

Quoting from Beverly McKeone: If the source proposes to locate closer than 300 feet then they are not eligible for a general permit and must apply for a standard Rule 13 construction permit. Wendell H. Stone Company is not eligible to apply for the G50 general permit because it will not meet the siting criteria and therefore has applied for a Construction permit under Rule 13.

From: Aluise, Thomas J [mailto:Thomas.J.Aluise@wv.gov]

Sent: Tuesday, March 28, 2017 3:46 PM
To: Warbel, Robyn <<u>rowarbel@hsc.wvu.edu</u>>

Cc: McKeone, Beverly D < Beverly.D.Mckeone@wv.gov>

Subject: Concrete Plant

Hi Robyn,

We have received a couple of emails regarding the concrete plant on Smithtown Road. Below is an email from a Mr. Rudy. Following his email, is yours. And following your email is our response to Mr. Rudy, which I am sharing with you. As you'll read in our response to Mr. Rudy, truck traffic is outside our jurisdiction, nor can we offer opinions on potential health effects and property values. If you have follow-up questions, contact Lee Martin at Thornton.E.Martin@wv.gov

! submitted a response/complaint yesterday 3/22/17. I would like a reply from the DEP on my concerns in this matter.

Also, there are Three to Four residences that are within the 300 ft. of the Siting Criteria rule for a Batch Plant. Can you explain to me why there is Siting Criteria Rule 2.1.1 and WV 45CSR13.EPA can supersede the siting criteria rule?

I'm opposed to the Concrete Plant being constructed on WV Rt. 73.

The Stone & Company Inc. is constructing its Batch Plant within 300 ft. of three to four residences. WV Rt. 73 can not sustain the current volume of daily truck traffic let alone support an Industrial Complex. This proposed Plant will ultimately increase the truck traffic dramatically and further destroy a WV Highway that is already in disrepair. Furthermore the intersection Rt.73N/Rt.119N by the Morgantown Motel is one of the most dangerous intersections in our State. With the increase of truck traffic due to a proposed Concrete Plant it will cause large delays for residents who live south of this intersection from Work, School, Doctor appointments etc.. Further, school buses have a hard enough time sharing the road with standard sized vehicles let alone large trucks. This could be disastrous if not deadly to our children and the bus drivers themselves.

I'm writing of my concerns with the concrete plant that is being built on Smithtown Road. I live within 200 feet of this project. My concerns are as follows: dust, noise, increased truck traffic, air quality, decreased water pressure, plus the fact that this is a residential area with 3 other homes within a 300 foot radius of this plant. What are the possible health effects to us and the devaluation of our properties?

Mr. Rudy,

The WVDEP has received your email of March 22, 2017 and it was forwarded to me for a response. The contents of the email have been added to the bottom of this response in order to ensure we are responding to all of your comments or issues. I am the New Source Review Program Manager for the West Virginia Division of Air Quality (DAQ). Mr. Lee Martin, the engineer assigned the review of the permit application, reports directly to me.

The DAQ received a Rule 13 construction permit application (R13-3360, Facility ID # 061-00231) for Wendel H. Stone Company on February 27, 2017. The application has been assigned to Mr. Lee Martin for review. The application has not yet been deemed to be complete. It is my understanding you spoke with Mr. Martin on March 17 about this source. On that same date Mr. Martin received several phone calls from residents concerned about the proposed source. On March 17, Mr. Kirk Powroznik, an Inspector with the DAQ assigned to the Fairmont Regional Office, visited

the site of the proposed concrete plant. The inspector found no violations of Air Quality Regulations during his visit. Mr. Powroznik, reports directly to Mr. Brian Tephabock, Supervisor for the DAQ Fairmont Regional Office. I understand that Mr. Martin has provided you with the contact information for Mr. Tephabock.

When received, all DAQ permit applications are scanned and placed on the DAQ website: http://www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx

Applications are listed alphabetically by county, and then alphabetically by company name within the county. If other documents are developed by the DAQ, such as an engineering evaluation or a DRAFT permit, these are also posted in the same location for public review.

Your comment specifically cites "Siting Criteria Rule 2.1.1" This is actually a citation from the G50 General Permit for Concrete batch plants and not an Air Quality Rule. All DAQ general permits have an eligibility criteria for siting of a source. In order to be eligible to apply for a general permit, a source must be located more than 300 feet from the nearest occupied dwelling, residence, etc. If the source proposes to locate closer than 300 feet then they are not eligible for a general permit and must apply for a standard Rule 13 construction permit. Wendell H. Stone Company is not eligible to apply for the G50 general permit because it will not meet the siting criteria and therefore has applied for a Construction permit under Rule 13.

Your comment also cites your concerns about increased Truck Traffic. Traffic on public roads is outside the jurisdiction of the DAQ. The DAQ only has those authorities expressly granted by the WV Code (Chapter 22, Article 5) and the Clean Air Act.


If you have further questions or comments on this proposed source, please send them to the attention of Mr. Lee Martin. It is part of the application review to receive and respond to public comments.

Thank you,

Bev McKeone

Tom Aluise
WV Department of Environmental Protection
304-926-0499, ext. 1338
Watch "Environment Matters"

The DEP Production that keeps you in touch with environmental issues in West Virginia at: http://www.youtube.com/user/WVEnvironment?feature=watch



Dear Senator Beach,

I know that you are busy with the current session, however, I would greatly appreciate any assistance that you can provide me concerning the welfare of our residential community.

The response I previously sent you from the DEP states that The Stone & Company Inc. is not breaking WV DEP AIR Rules. However, since the Batch Plant is not up and running yet, there are no current emission issues.

The purpose of this letter is to pose the question why Monongalia County and the State of West Virginia is permitting the Batch Plant to continue with construction without inquiring into what the true production output of concrete will be from this company? The current NSR (45CSR13) Air Permit Application that was submitted for construction lists 50,000 cubic yards of concrete a year for maximum production.

This raises 4 important questions:

- Does any regulatory agency in the State of West Virginia have the authority to limit the future expansion of production and limit it to only 50,000 cubic yards per year?
- Will this Batch Plant be able to expand the yearly output from 50,000 cubic yards to 100,000 cubic yards or possibly 250,000 cubic yards?

- Can the proposed equipment capacity handle more than the 50,000 cubic yards yearly that was submitted on their current application for construction permit?
- The amount of water that will be used by this facility will be tremendous. 50,000 cubic yards yearly will contain 1,950,000 gallons of water a year for just the finished concrete product alone. Now, add for all the wasted water that is used to control the dust for the aggregate piles. Then, there is the water holding tanks on the concrete trucks that will need to be filled to clean the truck's equipment between loads. The Clinton Water Association will supply the water for the concrete plant's operations. Once the concrete plant is up and operational and reapplies for more production, possibly 100,000 cubic yards or even 150,000 cubic yards will Clinton Water Association ask for an increase to our local water bills thru the WV Public Service Commission to buy land and build a new million dollar pump house to supply water to an industrial facility?

Using this information, one can reasonably assume that there are plans in place for something major in this area that would necessitate putting this type of facility on rural highway WV Rt. 73.

Senator Beach, my neighbors and I have given this matter a great deal of thought. I have enclosed an email listing more issues, as well as, some solutions to explore while there is still time before the full operational permit is granted. Please excuse my sense of urgency and the tone that comes off as a little adversarial. When I write about issues that pertain to the DOH, I have no qualms with this department. Quite to the contrary, Mr. Ray Urse and Mr. Don Skinner from the DOH have helped my neighbors and me with immediate action to resolve our problem when we had an issue this past Fall. With that being said, these are the many concerns we have and would like to bring to the attention of the DOH.

The WV Rt. 2 / Interstate 68 Authority has been working for the expansion to the western part of our State for years. Speculation of the new Cracking Methane Plant just across the river in Ohio is pushing the reality of the Authority's project to near completion of the highway. Plus, the Authority could receive the Federal Funding for the project from President Trump's infrastructure stimulus campaign promise.

Rt. 2 / I-68 Authority designated the letter J on their webpage as a proposed route that runs through this area and would make the Batch Plant the closest to the project. Proposed letter J route crosses the Monongahela River 3 times. It would take 3 \$100M bridges to cross the Monongahela River in this proposed J route because the river snakes through the canyon. As the picture that I submitted clearly shows, The Stone & Company has the capability to build massive concrete bridges and supply the concrete.

There has been some chatter that once the first interstate bridge is completed, the Morgantown Industrial Park will be near a newly constructed exit to ship the large stockpiles of pipe that is being stored.

WV Rt. 73 from the Goshen Road to the Morgantown Motel serves as a backup emergency route to let traffic into Morgantown when I-79 is closed for emergencies. This route is already hindered because of the Pilot Truck stop. During the normal business hours of the proposed concrete batch plant, the emergency route will be hindered by the constant traffic of the concrete trucks and supply trucks traveling north and south on WV Rt. 73. Plus, all other trucks that are traveling south from the county to avoid the weigh station on I-79 just to carry 3 more tons of material.

Senator Beach, will you please request the DOH to provide an up to date road impact study of how many trucks travel WV Rt. 73 north and south during the construction season and the current condition of the road?

Will traffic be diverted to Goshen Road which is a county road? Tractor trailer trucks will not be able to travel this road out to WV Rt. 119N by Ridgedale Elementary School. Seven or more miles could be added to the detour making it 12 miles instead of the current emergency route mileage of 6 miles into Morgantown.

The condition of the highway by the Pilot Truck Stop WV Rt. 73, is practically impassable due to the trucks entering and exiting the truck stop. The road in this particular area has fallen in on many occasions. The West Virginia Small Claims Court has seen their fair share of paid out claims due to the damage the road causes to vehicles. The road has caved in for years in this stretch of highway, the DOH made a great effort to repair it last Fall but the constant weight of the trucks is continuing to damage the substructure of the road. With that being said, it is only reasonable to expect the road structure from the Concrete Batch Plant to the Morgantown Motel becomes the same broken highway that is in front of the Pilot Truck stop.

The Stone & Company Inc. will have to incur the cost for signage and warning lights on WV Rt. 73. Will the DOH enact a speed reduction requirement for this facility on WV Rt. 73 in the "Blind Curve?" Will The Stone & Company Inc. legally be able to stop traffic on WV Rt. 73 for encroachment and easement onto their property that is on both sides of WV Rt.73 on a daily basis?

Monongalia County and the State of West Virginia is sitting on the side of a poorly constructed WV highway Rt. 73 and watching a mega business put the "Cart before the Horse" with ultimately letting the citizen suffer and pay for the cost. County wide zoning is the catch phrase that many use when you tell them of the situation. I've lived in Monongalia County since 1997 and probably voted in favor of it if it was on the ballot. But, that's not here or there... This concrete batch plant should have been built in an industrial park where there is the infrastructure to support it.

Reinforcement of WV Rt. 73's base road is needed to support the extra added truck weight. Past practice of paving over an unsupported shoulder that is already falling off the edge of the mountain in some areas of WV Rt. 73 needs to have the support of

concrete footers along the outer shoulders to maintain a stronger road structure.

The Stone & Company Inc. should be asked to donate the concrete or sell it to the State at a significantly reduced cost.

Senator Beach will you please contact the DOH and inquire if there has been any consideration of an access road to the back end of Scott Ave? The truck traffic could be mandated to access this road where there is a controlled stoplight at the end of Scott Ave. and WV Rt. 119. This would greatly alleviate the future reconstruction work of WV Rt. 119 / WV Rt. 73 intersection near the Morgantown Motel.

This intersection is such a liability to the State of West Virginia and needs to be addressed with the right appropriation thru Monongalia County and the State. These issues are coming quick and need to be addressed immediately. Since the West Virginia Legislature is currently in session maybe some type of bill could be considered for the appropriation funding of such a project. The State is putting itself in a constant legal battle when not addressing public safety. With that being said, when our State lets businesses to be developed without having the proper infrastructure to support them it creates immediate budgetary measures to our already strained budget.

Senator Beach this intersection is the Most Dangerous Intersection in WV or maybe the Most Dangerous Intersection in the US. What agency in our State can provide the information on vehicle crashes and deaths at this intersection WV Rt.119 / WV Rt.73?

The Morgantown Motel is right next to intersection WV Rt.119 / WV Rt.73. It takes approximately 4 seconds to clear the oncoming traffic lane Rt.119S to make safe passage thru this intersection. And, to make this happen you have to accelerate at a high rate of speed.

Greer Limestone out on WV Rt. 7 during high output hours backs up the traffic from the stoplight at I-68 East Ramp to Pass Equipment Inc. I don't know the approximate distance but it's close to a mile and a half to Pass Inc. Now once the batch plant is up and running will we also have a mile and a half delay or maybe longer due to the dangerous intersection with no stoplight?

With the increase of truck traffic due to a proposed Concrete Plant it will cause large delays for residents who live south of this intersection from Work, School, Doctor appointments etc. Further, school buses have a hard enough time sharing the road with standard sized vehicles let alone large trucks. This could be disastrous if not deadly to our children and the bus drivers themselves.

Senator Beach some of my neighbors are really concerned with what happens to the property values of our entire community once the Batch Plant becomes fully operational. Will there be an ultimate rapid de-escalation in property values once this area of the

county is labeled "Concrete Road." There for, when the time comes to sell our homes, will we suffer as a community because the value of our homes were devalued, due to a situation that was beyond our control?

We will be out here in the epicenter, Ashton Estates and the South Hills Community.

But, Is Morgantown ready for a Truck Tsunami of 20,000 , 40,000 or possibly 60,000 more trucks traveling into town adding to the already... Too Many Trucks that are downtown right now?

Are Morgantown City Officials and the Monongalia County Commissioners concerned with the increased volume of truck traffic that will occur once the Batch Plant is operational? Once again, will the City and County Officials revert to the "should have voted for county wide zoning," and this would have never happened. When a situation like this happens it is the duty of Monongalia County and the State of West Virginia to protect its citizens.

Are we to assume that this new revenue to the County and State from this company outweighs the loss of property value which inturn means less property taxes collected. Coupled with the enormous cost to constantly rebuild a 6 miles section of a State Highway. The losses from the property value and the infrastructure that the State of West Virginia has to provide to an out of state company is mind boogling. Especially, since this company should have built in an industrial park in the first place where the infrastructure would be there to support it. How many millions did they save on the location of the Plant?

Senator Beach what immediate relief can be given to the 4 or 5 families that are sitting right on top of this Concrete Operation? Can the State of West Virginia inquire to see if The Stone & Company Inc. will offer to buy out these residents at 2 or 3 times the fair market value of their properties? If not, can independent air testing be conducted randomly by an outside private company to ensure that the facility is not notified beforehand and the WV State DEP except the finding?

Senator Beach Please look for someone or a regulatory agency that has the authority to implement a Work Stoppage until we get some serious questions answered.

March 28. 2017

Thanks, Dave Rudy

P.S. The picture submitted is from The Stone & Company Inc. website. MVE Project

From:

Martin, Thornton E

Sent:

Friday, March 24, 2017 2:18 PM

To:

'gregr@stoneconcrete.com'; 'safety@stoneconcrete.com'; 'bblasingame@cecinc.com'

Cc:

Mckeone, Beverly D (Beverly.D.Mckeone@wv.gov)

Subject:

WV DAQ NSR Permit Application Complete for Wendell H. Sone Company, Inc.

(Morgantown)

RE:

Application Status: Complete

Wendell H. Sone Company, Inc. (Morgantown)

Permit Application No. R13-3360

Plant ID No. 061-00231

Mr. Reshenberg:

Your application for a construction permit for the Morgantown Batch Plant was received by this Division on February 27, 2017 and assigned to the writer for review. Upon further review of said application, it has been determined that the application is complete and, therefore, the statutory review period commenced on March 24, 2017.

In the case of this application, the agency believes it will take approximately 90 days to make a final permit determination.

This determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit determination.

Should you have any questions, please contact me at (304) 926-0499 ext.1212 or reply to this email.

Thornton E. Martin Jr.

Permit Engineer Division of Air Quality 601 57th Street, SE Charleston, WV 25304

Phone: 304-926-0499 X1212

Fax: 304-926-0479

From: McKeone, Beverly D

Sent: Friday, March 24, 2017 9:38 AM maxrudy152@comcast.net

Cc: Aluise, Thomas J; Martin, Thornton E; Powroznik, Kirk A; Patel, Yogesh P

Subject: Wendell H. Stone Company ,R13-3360, Facility ID 061-00231

Attachments: Bev McKeone P E .vcf

Mr. Rudy,

The WVDEP has received your email of March 22, 2017 and it was forwarded to me for a response. The contents of the email have been added to the bottom of this response in order to ensure we are responding to all of your comments or issues. I am the New Source Review Program Manager for the West Virginia Division of Air Quality (DAQ). Mr. Lee Martin, the engineer assigned the review of the permit application, reports directly to me.

The DAQ received a Rule 13 construction permit application (R13-3360, Facility ID # 061-00231) for Wendel H. Stone Company on February 27, 2017. The application has been assigned to Mr. Lee Martin for review. The application has not yet been deemed to be complete. It is my understanding you spoke with Mr. Martin on March 17 about this source. On that same date Mr. Martin received several phone calls from residents concerned about the proposed source. On March 17, Mr. Kirk Powroznik, an Inspector with the DAQ assigned to the Fairmont Regional Office, visited the site of the proposed concrete plant. The inspector found no violations of Air Quality Regulations during his visit. Mr. Powroznik, reports directly to Mr. Brian Tephabock, Supervisor for the DAQ Fairmont Regional Office. I understand that Mr. Martin has provided you with the contact information for Mr. Tephabock.

When received, all DAQ permit applications are scanned and placed on the DAQ website: http://www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx

Applications are listed alphabetically by county, and then alphabetically by company name within the county. If other documents are developed by the DAQ, such as an engineering evaluation or a DRAFT permit, these are also posted in the same location for public review.

Your comment specifically cites "Siting Criteria Rule 2.1.1" This is actually a citation from the G50 General Permit for Concrete batch plants and not an Air Quality Rule. All DAQ general permits have an eligibility criteria for siting of a source. In order to be eligible to apply for a general permit, a source must be located more than 300 feet from the nearest occupied dwelling, residence, etc. If the source proposes to locate closer than 300 feet then they are not eligible for a general permit and must apply for a standard Rule 13 construction permit. Wendell H. Stone Company is not eligible to apply for the G50 general permit because it will not meet the siting criteria and therefore has applied for a Construction permit under Rule 13.

Your comment also cites your concerns about increased Truck Traffic. Traffic on public roads is outside the jurisdiction of the DAQ. The DAQ only has those authorities expressly granted by the WV Code (Chapter 22, Article 5) and the Clean Air Act.

If you have further questions or comments on this proposed source, please send them to the attention of Mr. Lee Martin. It is part of the application review to receive and respond to public comments.

Thank you,

Bev McKeone

Bev McKeone P. E.

WV DEP Division of Air Quality NSR Program Manager Environmental Protection +1 (304) 926-0499 x 1260 Work Beverly.D.McKeone@wv.gov 601 57th St. SE Charleston, WV 25304

I submitted a response/complaint yesterday 3/22/17. I would like a reply from the DEP on my concerns in this matter.

Also, there are Three to Four residences that are within the 300 ft. of the Siting Criteria rule for a Batch Plant. Can you explain to me why there is Siting Criteria Rule 2.1.1 and WV 45CSR13.EPA can supersede the siting criteria rule?

I'm opposed to the Concrete Plant being constructed on WV Rt. 73.

The Stone & Company Inc. is constructing its Batch Plant within 300 ft. of three to four residences. WV Rt. 73 can not sustain the current volume of daily truck traffic let alone support an Industrial Complex. This proposed Plant will ultimately increase the truck traffic dramatically and further destroy a WV Highway that is already in disrepair. Furthermore the intersection Rt.73N/Rt.119N by the Morgantown Motel is one of the most dangerous intersections in our State. With the increase of truck traffic due to a proposed Concrete Plant it will cause large delays for residents who live south of this intersection from Work, School, Doctor appointments etc.. Further, school buses have a hard enough time sharing the road with standard sized vehicles let alone large trucks. This could be disastrous if not deadly to our children and the bus drivers themselves.

From:

Tephabock, Brian S

Sent:

Tuesday, March 21, 2017 11:24 AM

To:

McKeone, Beverly D; Martin, Thornton E; Adkins, Jesse D

Cc:

Powroznik, Kirk A

Subject:

FW: 061-00231_insp_CY2017 site and complaint Wendell Stone Concrete

Attachments:

061-00231_insp_CY2017 site and complaint Wendell Stone Concrete.pdf

Good morning,

Attached is Kirk's memo from his inspection of the proposed site. Also noted are items of concern. If you have any questions or need additional information, please let us know.

Have a good day,

Brian

From: Powroznik, Kirk A

Sent: Tuesday, March 21, 2017 11:20 AM

To: Tephabock, Brian S < Brian.S.Tephabock@wv.gov>

Subject: 061-00231_insp_CY2017 site and complaint Wendell Stone Concrete

Kirk Powroznik

WVDEP DAQ 2031 Pleasant Valley Road Fairmont WV 26554 304-368-2000 Ext. 3707



FACILITY INFORMATION

Facility ID: 061-00231

Company Name: Wendel H. Stone Company dba Stone & Company, Inc.

Facility Name: Morgantown Batch Plant

Physical Address: 1702 Smithtown Road Morgantown WV 26505

Permit Application ID: R13-3360

Assigned DAQ Permit Reviewer: Thornton "Lee" Martin

Inspection Category: Complaint Investigation / Permit Site Inspection

Inspector(s): Kirk Powroznik tul forum

Inspection Date(s): March 17, 2017

Memo Date: March 20, 2017

Contact Person(s): Brian Henckel, Environmental & Safety (724) 836-1400, Adam Stone, Manager

PURPOSE OF INSPECTION

The purpose of this memo is to document my complaint investigation and permit application site review inspection for the proposed concrete batch plant of the above indicated company and location.

The original complaint was received in the Charleston DAQ office on March 17, 2017 by Assistant Director, Jesse Adkins, P.E. This is the first of two (2) complaints in regards to this site.

- Complainant #1 stated he is concerned about a concrete batch plant being constructed near his house (less than 100yds away).
- Complainant #2 called Thornton Martin with WVDEP DAQ Permitting. His concerns seem to be the location, primarily the additional trucks on that particular section of highway and possible affect to existing low water pressure. Complainant #2 called Mr. Martin a second time asking permission to forward Mr. Martin's contact information to other concerned citizens and an Environmental Firm.

A database review was conducted on March 20, 2017 for the Wendel H. Stone Company. The WVDEP DAQ Permitting section received an application for a New Source Review (NSR) (45CSR13) Construction Permit on February 27, 2017 from Wendel H. Stone Company dba Stone & Company, Inc. for a Batch Concrete Manufacturing Plant.

Application fee paid:

March 2, 2017

Assigned date:

March 2, 2017

Inspection of: Wendel H. Stone dba Stone & Company, Inc. Date: March 17, 2017

Page 1 of 4

Non-Confidential

FINDINGS

On March 17, 2017 at approximately 12:15pm I arrived at the site on Smithtown Road. WVDEP WW/EE Inspector Chuck Joseph was also present to discuss potential Construction and Industrial Stormwater Permits. I spoke with Adam Stone, Manager with Stone & Company. I told Mr. Stone I was there to perform a permit site review, and because there were complaints received by this agency of the proposed concrete batch plant to be constructed near their homes. Site excavation was underway and footers were actively being poured for the proposed facility, as allowed per §45-13-5.1.a. through 5.1.d.

Mr. Stone stated that he had spoken with neighbors and thought he had a good relationship. I expressed some concern with the distance of the facility in relation to the close proximity to adjacent homes (less than 300 feet). Mr. Stone stated, "that's why they had Civil & Environmental Consultants, Inc. (CEC) apply for an individual permit." In a phone conversation, Inspector Joseph stated that Brian Henckel, Environmental & Safety for Stone & Company said "they applied for the permit that doesn't need the neighbor waiver." Inspector Joseph stated that Stone & Company has a Notice of Intent (NOI) Construction Stormwater Permit for the earth disturbance taking place. This permit is for earth disturbance that is less than three (3) acres. The project boundary on the site map (figure No. 2 in the application) does not appear to show the larger earth disturbance that is occurring at the site. Further evaluation would be needed by WVDEP WW/EE to determine if the disturbance is greater than three (3) acres.

On March 20, 2017 Ben Blasingame with CEC called the Fairmont Office and wanted to know if we had any questions with regards to the project or permit application. Brian Tephabock, Supervisor with WVDEP DAQ and myself expressed concerns about the potential for visible emissions (VE's) from open stockpile loading and unloading, and potential Fugitive Emissions (FE's) from the site to affect homes that are in close proximity to the proposed facility. Mr. Blasingame stated that the stockpiles would be enclosed on three (3) sides with jersey barriers, and that trees remaining onsite as well as proposed trees to be planted would add a buffer. We mentioned that there were concerns from complainants about the extra truck traffic, and the effect on the low water pressure in the area.

Considerations:

- Footers being actively poured for the proposed facility.
- Complaints/concerns have been received and voiced.
- The facility's location is in close proximity to homes (less than 300 feet).
- Any particulate source or fugitive emission have the potential to impact several residences due to their close proximity to the proposed facility.



House less than 300 feet away from proposed facility



Tree removal and site clearing



Retaining wall being built near property boundary



Earth disturbance is on both sides of the road



Footers being poured on the site



Overview of the proposed concrete batch plant



Home within 300' feet of the proposed facility



Inspection of: Wendel H. Stone dba Stone & Company, Inc. Date: March 17, 2017
Page 4 of 4

From: Blasingame, Ben <bb/>bblasingame@cecinc.com>

Sent: Wednesday, March 8, 2017 12:33 PM

To: Martin, Thornton E

Cc: Greg Reshenberg; Stas, Elizabeth; Brian Henckel; Macoskey, Kris

Subject: 144-205 Application No. R13-3360 Wendell H. Stone Company, Inc. Morgantown Batch

Plant; Class I Legal Advertisement

Attachments: 144-205 Class I Legal Advertisement Scan.pdf

Good afternoon Lee,

As a follow up to our conversation last week, please see the attached Class I Legal Advertisement for the Wendell H. Stone Company, Inc. Morgantown Batch Plant.

Please let me know if you have any questions.

Thank you,

Ben

Bejamin Blasingame, P.E. / Project Manager

Civil & Environmental Consultants, Inc. 333 Baldwin Road · Pittsburgh, PA 15205-1751

Toll-Free: (800) 365-2324 · Direct: (412) 249-2285 · Fax: (412) 429-2114

Mobile: (412) 420-9449 · http://www.cecinc.com

Senior Leadership · Integrated Services · Personal Business Relationships

This electronic communication and any attachments are intended solely for the use of the person or entity to which it is addressed, and may contain information that is confidential, privileged and exempt from disclosure under applicable law, including copyright law. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Please promptly notify the sender by reply electronic communication and immediately delete this message from your system.

Notice is given that Wendell H. Stone Company dos Stone & Company, inc. has applied to the West Virginia Department of Environmental Protection, Division of Air Quality, for a Construction Permit for a Concrete Betch Plant located on 1702 Smithtown Road, in Monongalia County, West Virginia. The site coordinates are: 39.558575°N and 79.989972°W. The applicant estimates the change in potential to discharge the following Regulated Air Pollutants will be: PM 37.96 tons per year and PM10 2.22 tons per year. Startup of operations is planned to begin on or about the 1st day of May, 2017. Written comments will be received by the West Virginia Department of Environmental Protection, Division of Air Quality, 601 57th Street, SE, Charleston, WV 25304, for at least 30 calendar days from the date of publication of this notice. Any questions regarding this permit application should be directed to the DAQ at (304) 926-0499, extension 1250, during normal business hours. Dated this the 3rd day of March, 2017. By: Wendell H. Stone Company dba Stone & Company, Inc. Greg Reshenberg General Manager 1718 Roseytown Road Greensburg, PA 15601,

Vs.
•
STATE OF WEST VIRGINIA COUNTY OF MONONGALIA
Eric Wilson Advertising Director of
THE DOMINION POST, a newspaper of general circulation
published in the City of Morgantown, County and State
aforesaid, do hereby certify that the annexed
Legal Notice
was published in the said THE DOMINION POST once a week
for1successive weeks commencing on the
3rd day of Mar. , 2017 and ending on the
3rd day of Mar. ,2017
The publisher's fee for said publication is \$45.77
Given under my hand this 3rd day of
March , 2017
(SEAL)
Advertising Director of THE DOMINION POST
Subscribed and sworn to before me this 3rd
day of March , 2017
Kelly Film
Notary Public of Monongalia County, W. Va.
Juney 2019
Official Saal Notory Public, State of West Virginis Kealey V Felton E00 Myten Park Lane Morganithm WV 26601 My Commission English Ducember 13, 2019

៊ីសាសាសាសាសាសាសាសាសាសាសាសាសាសាសាសាសាស

PUBLISHER'S CERTIFICATE

From:

Ward, Beth A

Sent:

Friday, March 3, 2017 2:51 PM

To:

Martin, Thornton E

Subject:

GOLDEN TRIANGLE CONSTRUCTION CO INC & WENDELL H STONE COMPANY LLC

PERMIT APPLICATION FEE

This is the receipt for payment received from:

GOLDEN TRIANGLE CONSTRUCTION CO INC, CHESTER, CK# 4961, CK DATE 02/23/2017, \$500.00 G50-B109 ID 029-00081

WENDELL H STONE COMPANY INC, MORGANTOWN, CK# 128249, CK DATE 02/23/2017, \$1,000.00 R13-3360 ID 061-00231

OASIS Deposit CR 1700095479

Thank You!

Beth Ward

WV DEPARTMENT OF ENVIRONMENTAL PROTECTION BTO FISCAL 601 57TH STREET SE CHARLESTON, WV 25304 (304) 926-0499 EXT 1846 beth.a.ward@wv.gov

Adkins, Sandra K

From:

Adkins, Sandra K

Sent:

Thursday, March 2, 2017 1:02 PM

To:

'gregr@stoneconcrete.com'; 'safety@stoneconcrete.com'

Cc:

McKeone, Beverly D; Martin, Thornton E

Subject:

WV DAQ Permit Application Status for Wendell H. Stone Company, Inc.; Morgantown

DO NOT include copies of checks in electronic and/or paper submittals. Please be aware submitted documents (paper and electronic) are publicly available once received by our office.

RE: App

Application Status Wendell H. Stone Company, Inc.

Morgantown

Facility ID No. 061-00231 Application No. R13-3360

Mr. Reshenberg,

Your application for a construction permit for the Morgantown Batch Plant was received by this Division on February 27, 2017, and was assigned to Lee Martin. The following item was not included in the initial application submittal:

Original affidavit for Class I legal advertisement not submitted.

This item is necessary for the assigned permit writer to continue the 30-day completeness review.

Within 30 days, you should receive a letter from Lee stating the status of the permit application and, if complete, given an estimated time frame for the agency's final action on the permit.

Any determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit decision.

Should you have any questions, please contact the assigned engineer, Lee Martin, at 304-926-0499, extension 1212.



February 24, 2017

Assistant Director for Permitting WV Department of Environmental Protection Division of Air Quality 601 57th Street, SE Charleston, West Virginia 25304

To Whom It May Concern:



Subject:

Wendell H. Stone Company dba Stone & Company, Inc.

NSR (45CSR13) Air Permit Application

Morgantown Batch Plant, Morgantown, West Virginia

CEC Project 144-205.0005

Civil & Environmental Consultants, Inc. (CEC) on behalf of Wendell H. Stone Company dba Stone & Company, Inc. (Stone Concrete) is hereby submitting an application for a New Source Review (NSR) Construction Permit to the West Virginia Department of Environmental Protection (DEP), Division of Air Quality (DAQ), for the Morgantown Batch Plant located in Monongalia County, West Virginia. The Morgantown Batch Plant is a Batch Concrete Manufacturing Plant with a NAICS code of 327320. Stone Concrete is submitting the attached 45 CSR 13 air permit application in accordance with West Virginia air quality regulations. One hard copy and two CD's of the permit application are included with this correspondence.

If you have questions concerning the 45CSR13 air permit application, please contact Mr. Brian Henckel at (724) 836-1400.

Sincerely,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.

Benjamin N. Blasingame, P.E.

Project Manager

Kristian A. Macoskey, QEP

Kristian A. Mansy

Vice President

Enclosure

cc: Mr. Brain Henckel, Stone Concrete

144-205.0005-Air Permit Application-Cover Letter/P